



The Fireplace Gallery

A selection of natural stone fireplaces



FDC

Carrying the flame



Contents



Abingdon	2-5	Provence	50-51
Arundel	6-7	Regency	52-53
Ascot	8-9	Rutland	54-55
Baverstock	10-11	Sutton	56-57
Beckford	12-15	Salisbury Bolection	58-59
Blenheim	16-19	Solstice Suite	60-61
Bolection	20-21	Shelby	62-63
Boscombe	22-23	Victorian Classic	64-65
Cambridge	24-25	Victorian Corbel	66-67
Chantry	26-27	William IV	68-69
Compton	28-29	Windsor	70-71
Cotswold	30-31	————— Technical —————	
Edwardian Corbel	32-33	Steel Hobs and Fascias	72-73
Epsom	34-35	Cast Iron Arches and Fascias	74-75
Equinox Suite	36-37	Chambers	76-77
Exford	38-39	Electric Fires	78-79
Langford	40-41	Gas Fires and Stoves	80-81
Lincoln	42-43	Freestanding Stoves	82-84
Ludlow	44-45	Inset Stoves	85
Pembroke Bolection	46-47	Dimensions	86-91
Princeton	48-49	Material Specification	92-93






Abingdon

Mantel:
Abingdon in Veined Limestone

Chamber:
Rustic Slate tile

Fire:
FDC4 Eco multifuel stove


Hearth & Slips:
Honed & oiled Slate



Abingdon

Fireplace:
Abingdon in Veined Limestone

Fire:
Solstice 4D electric fire with
log fuel bed •
orange flame effect •





Arundel




Mantel:
Arundel in Aegean Limestone

Interior:
Milton cast iron fascia with plain canopy

Fire:
Enigma

Hearth:
Honed Black Granite




Ascot

Mantel:
54" Ascot in Aegean Limestone
(Also available in 57")

Interior & Chamber:
Brushed steel Amesbury fascia and
Square edge Lavender herringbone brick

Fire:
FDC4 Eco multifuel stove

Hearth :
Honed & oiled Slate





Baverstock

Mantel:
Baverstock in Aegean Limestone

Chamber:
Reeded fireboard

Fire:
TFG5 woodburning stove

Hearth and slips:
Polished Black Granite




Beckford



Fireplace:
Beckford in Veined Limestone

Fire:
Evonic 'Kansas' electric fire






Beckford

Fireplace:
Beckford in Aegean Limestone

Chamber:
Oyster Slate tile

Fire:
Columbia BF gas stove
(Balanced Flue version)



54" Blenheim



Mantel:

54" Blenheim in Aegean Limestone

Interior:


Polished Black Granite

Fire:

Brooklyn electric fire with
Polished Steel Contrast frame & Bauhaus fret

Hearth:

Polished Black Granite





60" Blenheim




Mantel:
60" Blenheim in Aegean Limestone

Interior:
Brushed steel Sophia fascia

Fire:
Flamerite 'Ennio' electric fire

Hearth:
Honed Black Granite




Bolection

Mantel:
Bolection in Aegean Limestone

Interior:
Salisbury hob grate

Fire:
Open log fire

Hearth:
Aegean Limestone






Boscombe

Fireplace:
Boscombe in Sandstone

Chamber:
Brickyard reclaimed brick

Fire:
FDC5 multifuel stove




Cambridge



Fireplace:
Cambridge in Veined Limestone

Fire:
Enigma with Clevedon fret





Chantry

Mantel:

60" Chantry in Aegean Limestone
(Also available in 56")

Interior:


Shaftesbury hob grate

Fire:

Open log fire

Hearth:


Honed & oiled Slate



Compton

Fireplace:
Compton in Veined Limestone

Fire:
Vision E-Line Sardon inset electric fire
with black and chrome fascia





Cotswold



Mantel:
Cotswold in Rosal Limestone

Chamber:
Reclaimed Cobble brick

Fire:
FDC5 multifuel stove
(shown with optional black handle)

Hearth:
Honed Black Granite




Edwardian Corbel

Mantel:
Edwardian Corbel in Aegean Limestone

Chamber:
Old Red Stock brick

Fire:
Staten electric stove

Hearth & Slips:
Aegean Limestone





Epsom

Mantel:

Epsom in Aegean Limestone

Interior:

Honed Black Granite Slips

Fire:

Solstice 4D electric fire with

- log fuel bed
- orange flame effect

Hearth:

Honed Black Granite




Equinox Suite



Fireplace:
Equinox Ludlow in Veined Limestone
with Blue Moleanos

- Fire:
- Equinox 4D electric fire with
 - mixed faux crystal fuel bed •
 - orange flame effect •
 - white underbed lighting •
 - white mood lighting •






Exford

Fireplace:
Exford in Veined Limestone

Fire:
Vision E-Line Sandon inset electric fire
with black and chrome fascia




Langford

Fireplace:
60" Langford in Veined Limestone
(Also available in 54")

Chamber:
Reeded fireboard

Fire:
FDC5 Wide multifuel stove





Lincoln

Mantel:

54" Lincoln in Natural Oak
(Also available in 48")

Interior & Chamber:


Rustic Cobble brick with arch & returns

Fire:

FDC5 multifuel stove

Hearth:


Honed & oiled Slate



Ludlow

Fireplace:
63" Ludlow in Veined Limestone
(Also available in 54")

Fire:
Equinox 4D electric fire with
mixed faux crystal fuel bed •
orange & blue flame effect •





Pembroke Bolection




Mantel:
54" Pembroke Bolection in Aegean Limestone
(Also available in 58")

Interior:
Aegean Limestone Slips

Fire:
Enigma HE with Blenheim fret

Hearth:
Aegean Limestone




Princeton

Mantel:
 Princeton in Veined Limestone
 (also available with matching hearth and slips)

Fire:
 Evonic 'e800' electric fire

Hearth and Slips:
 Polished Blue Moleanos






Provence



Fireplace:
Provence in Veined Limestone

Chamber:
Square edge Cream brick

Fire:
FDC8 Eco multifuel stove




Regency

Mantel:
Regency in Aegean Limestone

Interior:
Georgian hob grate

Fire:
Open log fire

Hearth:
Honed & oiled Slate






Rutland

Mantel:
Rutland in Aegean Limestone

Chamber:
Block fireboard

Fire:
FDC5 multifuel stove
(Shown with optional black handle)

Hearth:
Angolan Black Granite



Sutton




Mantel:
Sutton in Veined Limestone

Interior:
Monarch cast iron arch

Fire:
Bespoke coal effect gas fire

Hearth:
Polished Black Granite





Salisbury Bolection




Mantel:
58" Salisbury Bolection in Aegean Limestone
(also available in 54")

Interior & Chamber:
Brushed steel Mitred fascia and
Charcoal slate tile

Fire:
FDC4 Eco multifuel stove

Hearth:
Honed and oiled Slate




Solstice Suite



Fireplace:
Solstice Beckford in Veined Limestone

Fire:
Solstice 4D electric fire with

- log fuel bed
- orange flame effect
- orange underbed lighting
- red mood lighting





Shelby




Mantel:
51" Shelby in Aegean Limestone
(also available in 54")

Interior:
Flamed Grey Granite slips

Fire:
Ariel 5G multifuel stove

Hearth:
Flamed Grey Granite
(sectioned for solid fuel)



Victorian Classic




Mantel:
54" Victorian Classic in Aegean Limestone
(also available in 48", 51", 56" & 60")

Interior:
Highlight Victoria cast iron arch
(also available in Black)

Fire:
Bespoke coal effect gas fire

Hearth:
Polished Black Granite






Victorian Corbel

Mantel:
Victorian Corbel in Aegean Limestone

Chamber:
Brickyard reclaimed brick

Basket:
18" Valencia with back & decorative gas fire

Hearth & Slips:
Aegean Limestone



William IV




Mantel:
William IV in Aegean Limestone

Interior:
Highlight Victoria cast iron arch

Fire:
Bespoke coal effect gas fire

Hearth:
Honed Black Granite






Windsor


Fireplace:
Windsor in Charmot Limestone

Chamber:
Brickyard reclaimed brick

Fire:
Columbia CF gas stove
(Conventional Flue version)



Steel Hobs and Fascias



AMESBURY fascia



SALISBURY hob



MITRED fascia



SHAFTESBURY hob





SOPHIA fascia




GEORGIAN hob

Steel Hobs and Fascias



Brushed Steel

These products are susceptible to rusting if they come into contact with moisture. This can be direct or carried in the atmosphere (such as a recently plastered room). They are supplied with a protective film that inhibits rust formation, however immediately after installation they should be wiped down with a lint free cloth and spray-type oil. We recommend this process is repeated on a regular basis. Should small areas of surface rust appear they can be removed using extra fine grade wire wool and WD40.



Cast Iron Arches and Fascias

Cast Iron Arches and Fascias



VICTORIA highlight



VICTORIA black



VICTORIA with deep back




MONARCH highlight




MILTON with patterned canopy




MILTON with plain canopy




VICTORIA



VICTORIA - DEEP BACK



MONARCH




MILTON


Cast Iron

All the cast iron products are delivered with a protective, oil-based coating on polished surfaces. This should be cleaned off after installation and it is recommended that a spray-type oil is applied to these areas on a regular basis to avoid surface rust forming. Under no circumstances should a water-based cleaner or polish be used to clean cast iron products. Polished surfaces will undergo thermal discolouration during normal use and this is to be expected. High temperature black paint is used inside the fire chamber and will burn off over a period of time. High temperature touch up paint is available from your retailer if required. Ash build up beneath the fire will cause the grate to burn out more quickly. The grate and back brick (if present), are consumable parts of your fire and will need replacing from time to time. Due to the nature of cast iron it is vital that all fireplaces undergo a period of 'burning-in'. This involves lighting small fires initially, gradually increasing in size with each subsequent firing.

Chambers



COBBLE RUSTIC



COBBLE LAVENDER



COBBLE CREAM



COBBLE BROWN



COBBLE RECLAIMED



BRICKYARD RECLAIMED




CHARCOAL SLATE



OYSTER SLATE



RUSTIC SLATE



OLD RED STOCK



SQUARE EDGE LAVENDER



SQUARE EDGE CREAM

Electric Fires


Brooklyn





Staten



- 3D ecoflame™ effect technology
 - Choice of coal, glass pebble or log fuel beds
 - Choice of 4 flame effects
 - Two heat settings, 0.75kW & 1.5kW
- Suitable for a flat wall installation using a 3" rebated fireplace or surround
 - Multifunctional remote control
 - Manual over ride buttons
 - Thermostat and timer as standard
- 3D ecoflame™ effect technology
 - Realistic ceramic log fuel bed
 - Choice of 4 flame effects
 - Two heat settings, 1kW & 2kW
 - Multifunctional remote control
- Heavy duty steel body with a cast iron door
 - Panoramic ceramic glass window
 - High level heater outlet
 - Manual over ride buttons



Frame options



APPLIANCE DATA
Supply Voltage AC 220-240V 50Hz
Output 750W / 1500W

APPLIANCE DATA
Supply Voltage AC 220-240V 50Hz
Output 1000W / 2000W

Electric Fires



Solstice



Equinox




- 4D ecoflame™ effect technology
 - Multiple fuel beds
 - Ambilight fuel bed with a choice of 13 colours
 - Programmable 7 day timer
- Optional LED mood lighting
 - Ecodesign compliant
 - 2kW heat output with 100% efficiency
 - Choice of 3 vibrant flame effects
 - 'Fire only' inset installation option



MODEL	A	B	C	D	E*	F
SOLSTICE	515	451	565	670	170	70
EQUINOX	790	506	840	725	170	70

*when using a wall bracket add 10mm to appliance depth so E = 180 (all dimensions in mm)



Fire fronts



Black Baltimore



Black Bauhaus



Chrome Bauhaus



Polished Baltimore



Polished Bauhaus



Brass Bauhaus



Black Blenheim



Highlight Blenheim



Antique Blenheim



Brass Blenheim



Black Clevedon



Polished Clevedon



Fire fronts

Gas Fires

Enigma





- Heat output of up to 4.0 kW at 57% efficiency
- Deep fuel bed for an ultra-realistic effect
- Coal fuel bed
- Suitable for class 1 and 5" lined flues
- Choice of manual or battery operated slide control
- Open fronted



Enigma HE



- Heat output of up to 4.9 kW at 89% efficiency
- Excellent radiant heat output
- Coal fuel bed
- Suitable for class 1 and 5" lined flues
- Choice of manual, battery operated slide control and remote control
- Glass fronted



Gas Fire efficiencies

	Setting	Input	Net Efficiency	Output
Enigma (N.G. only)	High	7 kW	57%	4 kW
	Low	4.8 kW	50%	2.4 kW
Enigma HE (N.G. only)	High	5.5 kW	89%	4.9 kW
	Low	2.4 kW	70%	1.9 kW

All featured gas fires are manufactured under a BS EN ISO 9001 quality system (registration number 5195), which covers all areas of product design, development, manufacture and service.


Gas Stoves

Columbia (CF)



- Heavy duty steel body with a cast iron door
- Panoramic ceramic glass window
- Manual control with integral ignition
- Available for use with natural gas only
- No flue liner required *
- Conventional flue (CF) model for use in Class 1, Class 2 & pre-cast flues
- Top or rear flue option (rear closure plate supplied)
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick non combustible hearth

* Subject to chimney / flue condition




Columbia (BF)



- Heavy duty steel body with a cast iron door
- Panoramic ceramic glass window
- Infra-red remote control
- Available for use with natural gas only
- No chimney required
- Balanced flue (BF) model for use in homes with no chimney *
- Rear Flue only
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick non combustible hearth

* External wall required



Gas Stove efficiencies

	Setting	Input	Net Efficiency	Output
Columbia (N.G. Only)	High	5.5 kW	78%	3.6 kW
Columbia Balanced Flue (N.G. Only)	High	5.54 kW	88%	4.35 kW

All featured gas fires are manufactured under a BS EN ISO 9001 quality system (registration number 5195), which covers all areas of product design, development, manufacture and service.

Freestanding Stoves

Over the last few years the fireplace and stove industry has developed to meet the requirements of the modern day home coupled with the need to protect the environment we live in. Wood logs are a practical, low carbon heating choice and wood burning stove technology has improved dramatically resulting in lower emissions and increased efficiency.

The SIA (Stove Industry Alliance) used the services of research company Kiwa Gastec, whose report showed that modern clean burning Ecodesign stoves can reduce particulate emissions by up to 90% compared to an open fire, and 80% compared to the average 10 year old stove. This finding was so important that the SIA began an 'Ecodesign ready' labelling scheme verified by HETAS to promote stoves meeting the efficiency and emissions regulations. In 2019, we made the decision that all FDC freestanding stove models would meet the European environmental standards for particulate emissions due to come into force from 2022.

September 2020 saw the launch of [clearSkies](#), a new objective and independent emissions and energy performance certification mark for solid fuel stoves and fireplaces. All appliances certified under the [clearSkies](#) label meet or exceed the efficiency and emissions requirements for Ecodesign 2022 regulations, and all Level 3 or above [clearSkies](#) certified appliances are all Defra Exempt for use in smoke control zones. This makes the [clearSkies](#) label the only single comprehensive label covering everything you need to know about a stove or fireplace in terms of Ecodesign compliance and the ability to be able to use the appliance in smoke control zones. The label also makes it easier to distinguish lower emission, higher efficiency appliances by having differing levels of certification from level 2 to level 5. The higher the level, the better the appliance performs in terms of lower emissions and higher efficiency.

“We are proud to say all FDC freestanding stove models have achieved [clearSkies Level 5](#) status making them some of the cleanest and most efficient stoves on the market today.”



Future proof appliances

By choosing a clearSkies certified appliance you ensure your stove meets and, in many cases, exceeds the latest standards & legislative requirements.

Cost effective to run

It costs less to run a clearSkies stove than the average 10-year-old stove because you need significantly less logs for the same amount of heat


Freestanding Stoves



FDC4 Eco




- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 4kW output
- Draught-controlled tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency - 81.8% wood
- Efficiency - 79.8% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick super imposed hearth
- Accepts up to 12" logs



FDC5 Eco



- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 5kW output
- Draught-controlled tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency - 81.7% wood
- Efficiency - 79.5% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth
- Accepts up to 12" logs




Freestanding Stoves



**FDC5
WIDE Eco**



- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 5kW output
- Draught-controlled tertiary airwash system
- Extra large ceramic glass window
- External rotary grate riddling system
- Efficiency - 80.8% wood
- Efficiency - 81.6% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth
- Accepts up to 15" logs




Inset Stoves



Ariel 5
Approx. weight 70kg


- 5kW output
- Clean burn tertiary airwash system
- Large ceramic glass window
- Efficiency – 80.0% wood
- Efficiency – 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- DEFRA exempt as standard for use in any location
- Simple flue connection via the internally removable top outlet spigot
- 5" liner compatible (additional adapter required)
- Optional cast iron multifuel kit available – protects liners and reduces internal volume when burning smokeless fuel.
- Choice of steel (S) or glass (G) finish
- Three and four sided frame option
- Accepts up to 11" logs



FDC8 Eco




- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 8kW output
- Draught-controlled tertiary airwash system
- Extra large ceramic glass window
- External rotary grate riddling system
- Efficiency - 81.1% wood
- Efficiency - 82.9% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth
- Accepts up to 15" logs



Calypso 5
Approx. weight 85kg

- 5kW output
- Clean burn tertiary airwash system
- Panoramic ceramic glass window
- Efficiency – 79.5% wood
- Efficiency – 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- DEFRA exempt as standard for use in any location
- Simple flue connection via the internally removable top outlet spigot
- 5" liner compatible (additional adapter required)
- Optional cast iron multifuel kit available – protects liners and reduces internal volume when burning smokeless fuel.
- Choice of steel (S) or glass (G) finish
- Three and four sided frame option
- Accepts up to 15" logs



Dimensions

ABINGDON	
Shelf:	1320 x 210 x 50
Hearth:	1320 x 410 x 50 SOLID
Back Hearth:	900 x 420 x 30
Height (inc hearth):	1110
Mantel Opening:	810 wide x 810 high
Across Legs:	1210
Leg Depth:	140
Rebate:	80 (25 for surround only)

ARUNDEL	
Shelf:	1405 x 215 x 60
Hearth:	N/A
Height:	1235
Mantel Opening:	915 wide x 915 high
Across Legs:	1235
Leg Depth:	160
Rebate:	75

54” ASCOT	
Shelf:	1370 x 225 x 70
Hearth:	N/A
Height:	1150
Mantel Opening:	870 wide x 890 high
Across Legs:	1230
Leg Depth:	155
Rebate:	25 or 75 (please specify)

57” ASCOT	
Shelf:	1445 x 225 x 70
Hearth:	N/A
Height:	1175
Mantel Opening:	905 wide x 915 high
Across Legs:	1305
Leg Depth:	155
Rebate:	25 or 75 (please specify)

BAVERSTOCK	
Shelf:	1370 x 200 x 65
Hearth:	N/A
Height:	1165
Mantel Opening:	910 wide x 910 high
Across Legs:	1255
Leg Depth:	135
Rebate:	75

BECKFORD <i>in Portuguese Limestone</i>	
Shelf:	1220 x 185 x 50
Hearth:	1220 x 410 x 50 SOLID SQUARE
Height (inc hearth):	1040
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	125
Rebate:	35 or 75 (please specify)

BECKFORD <i>in Aegean Limestone</i>	
Shelf:	1220 x 180 x 30
Hearth:	1220 x 380 x 50 FLUSH BOXED
Height (inc hearth):	1020
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	125
Rebate:	75 (25 or 75 for surround only)

54” BLENHEIM	
Shelf:	1370 x 210 x 80
Hearth:	N/A
Height:	1145
Mantel Opening:	830 wide x 890 high
Across Legs:	1200
Leg Depth:	140
Rebate:	30

Dimensions

60” BLENHEIM	
Shelf:	1525 x 225 x 100
Hearth:	N/A
Height:	1215
Mantel Opening:	905 wide x 915 high
Across Legs:	1325
Leg Depth:	140
Rebate:	25 or 75 (please specify)

BOLECTION	
Shelf:	1280 x 115
Hearth:	N/A
Height:	1095
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

BOSCOMBE	
Shelf:	1370 x 200 x 50
Hearth:	1370 x 410 x 50 SOLID
Back Hearth:	900 x 380 x 30
Height (inc hearth):	1110
Mantel Opening:	840 wide x 700 / 820 high
Stove Opening	740 wide x 700 / 770 high
Across Legs:	1250
Leg Depth:	125
Rebate:	35

CAMBRIDGE	
Shelf:	1370 x 220 x 60
Hearth:	1370 x 410 x 60 B&L WITH ROUNDED CORNERS
Height (inc hearth):	1080
Mantel Opening:	760 wide x 700 / 785 high
Across Legs:	1240
Leg Depth:	140
Rebate:	75

56” CHANTRY	
Shelf:	1420 x 225 x 30
Hearth:	N/A
Height:	1150
Mantel Opening:	845 wide x 890 high
Across Legs:	1285
Leg Depth:	170
Rebate:	75

60” CHANTRY	
Shelf:	1520 x 225 x 30
Hearth:	N/A
Height:	1180
Mantel Opening:	900 wide x 920 high
Across Legs:	1385
Leg Depth:	170
Rebate:	30

COMPTON	
Shelf:	1120 x 200 x 60
Hearth:	1120 x 380 x 60 B&L SQUARE
Height (inc hearth):	980
Mantel Opening:	620 wide x 670 high
Across Legs:	1000
Leg Depth:	140
Rebate:	80

COTSWOLD	
Shelf:	1450 x 190 x 75
Hearth:	N/A
Height:	1165
Mantel Opening:	850 wide x 820 / 890 high
Across Legs:	1290
Leg Depth:	120
Rebate:	35

Dimensions

EDWARDIAN CORBEL	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1345 (adj)
Leg Depth:	140
Rebate:	75

EPSOM	
Shelf:	1420 x 215 x 30
Hearth:	N/A
Height:	1140
Mantel Opening:	890 wide x 890 high
Across Legs:	1235
Leg Depth:	130
Rebate:	25 or 75 (please specify)

EQUINOX SUITE	
Shelf:	1540 x 330 x 60
Hearth:	1600 x 360 x 260 B&L
Height (inc hearth):	1165
Mantel Opening:	1000 wide x 635 high
Across Legs:	1420
Leg Depth:	270
Rebate:	N/A

EXFORD	
Shelf:	1220 x 185 x 50
Hearth:	1220 x 410 x 60 FLUSH BOXED WITH PROFILE
Height (inc hearth):	1080
Mantel Opening:	760 wide x 760 / 810 high
Across Legs:	1120
Leg Depth:	125
Rebate:	75

54” LANGFORD	
Shelf:	1370 x 185 x 60
Hearth:	1370 x 410 x 60 SOLID
Back Hearth:	900 x 410 x 30
Height (inc hearth):	1110
Mantel Opening:	810 wide x 785 / 835 high
Stove Opening	670 wide x 725 / 765 high
Across Legs:	1270
Leg Depth:	120
Rebate:	35

60” LANGFORD	
Shelf:	1530 x 205 x 60
Hearth:	1530 x 410 x 60 SOLID
Back Hearth:	1000 x 410 x 30
Height (inc hearth):	1220
Mantel Opening:	900 wide x 850 / 900 high
Stove Opening	760 wide x 790 / 830 high
Across Legs:	1380
Leg Depth:	140
Rebate:	35

48” LINCOLN	
Shelf:	1220 x 180 x 32
Hearth:	N/A
Height:	1130
Mantel Opening:	840 wide x 890 high
Across Legs:	1145
Leg Depth:	115
Rebate:	25 / 75

54” LINCOLN	
Shelf:	1370 x 180 x 32
Hearth:	N/A
Height:	1155
Mantel Opening:	915 wide x 915 high
Across Legs:	1245
Leg Depth:	115
Rebate:	25 / 75



Dimensions

54” LUDLOW	
Shelf:	1370 x 200 x 60
Hearth:	1370 x 410 x 50 SOLID
Height (inc hearth):	1095
Mantel Opening:	810 wide x 775 high
Across Legs:	1230
Leg Depth:	140
Rebate:	35

63” LUDLOW	
Shelf:	1600 x 200 x 60
Hearth:	1600 x 460 x 50 SOLID
Height (inc hearth):	1095
Mantel Opening:	1060 wide x 775 high
Across Legs:	1480
Leg Depth:	140
Rebate:	35

54” PEMBROKE BOLECTION	
Shelf:	1370 x 195 x 105
Hearth:	N/A
Height:	1255
Mantel Opening:	910 wide x 910 high
Across Legs:	1210
Leg Depth:	145
Rebate:	25

58” PEMBROKE BOLECTION	
Shelf:	1460 x 205 x 105
Hearth:	N/A
Height:	1290
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

PRINCETON	
Shelf:	1370 x 190 x 50
Hearth:	1370 x 410 x 50 SOLID WITH BEVEL
Height (inc hearth):	1100
Mantel Opening:	870 wide x 810 high
Across Legs:	1250
Leg Depth:	130
Rebate:	35

PROVENCE	
Shelf:	1450 x 345 x 100
Hearth:	1450 x 410 x 60 SOLID
Back Hearth:	1000 x 450 x 30
Height (inc hearth):	1200
Mantel Opening:	905 wide x 860 high
Stove Opening	785 wide x 760 high
Across Legs:	1265
Leg Depth:	130
Rebate:	35

REGENCY	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1120
Mantel Opening:	895 wide x 915 high
Across Legs:	1305
Leg Depth:	170
Rebate:	75

RUTLAND	
Shelf:	1475 x 210 x 55
Hearth:	N/A
Height:	1120
Mantel Opening:	820 wide x 705 / 840 high
Across Legs:	1360
Leg Depth:	150
Rebate:	30



Dimensions

SUTTON	
Shelf:	1370 x 230 x 50
Hearth:	N/A
Height:	1130
Mantel Opening:	800 wide x 880 high
Across Legs:	1200
Leg Depth:	150
Rebate:	25

54” SALISBURY BOLECTION	
Shelf:	1370 x 195 x 105
Hearth:	N/A
Height:	1165
Mantel Opening:	910 wide x 910 high
Across Legs:	1210
Leg Depth:	145
Rebate:	25

58” SALISBURY BOLECTION	
Shelf:	1460 x 205 x 105
Hearth:	N/A
Height:	1200
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

SOLSTICE SUITE	
Shelf:	1220 x 270 x 30
Hearth:	1220 x 380 x 50 SOLID
Height (inc hearth):	1020
Mantel Opening:	760 wide x 610 high
Across Legs:	1120
Leg Depth:	230
Rebate:	N/A

51” SHELBY	
Shelf:	1295 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	835 wide x 865 high
Across Legs:	1195
Leg Depth:	145
Rebate:	75

54” SHELBY	
Shelf:	1370 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	865 wide x 865 high
Across Legs:	1270
Leg Depth:	145
Rebate:	25 or 75 (please specify)

48” VICTORIAN CLASSIC	
Shelf:	1220 x 200 x 30
Hearth:	N/A
Height:	1075
Mantel Opening:	840 (adj) wide x 890 high
Across Legs:	1140 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

51” VICTORIAN CLASSIC	
Shelf:	1295 x 200 x 30
Hearth:	N/A
Height:	1075
Mantel Opening:	860 (adj) wide x 890 high
Across Legs:	1220 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)



Dimensions

54” VICTORIAN CLASSIC	
Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1100
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1295 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

56” VICTORIAN CLASSIC	
Shelf:	1420 x 200 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1335 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

60” VICTORIAN CLASSIC	
Shelf:	1520 x 200 x 30
Hearth:	N/A
Height:	1165
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1385 (adj)
Leg Depth:	150
Rebate:	75

VICTORIAN CORBEL	
Shelf:	1420 x 250 x 30
Hearth:	N/A
Height:	1160
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1325 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

WILLIAM IV	
Shelf:	1520 x 250 x 30
Hearth:	N/A
Height:	1170
Mantel Opening:	920 wide x 920 high
Across Legs:	1400
Leg Depth:	150
Rebate:	30

WINDSOR	
Shelf:	1370 x 190 x 70
Hearth:	1370 x 410 x 60 FLUSHED BOXED
Back Hearth:	900 x 400 x 30
Height (inc hearth):	1210
Mantel Opening:	870 wide x 900 high
Stove Slip Opening:	720 wide x 800 high
Across Legs:	1230
Leg Depth:	120
Rebate:	35



Our Pledge

You can purchase any of the products shown in this brochure with total confidence. In the unlikely event that there is a defect discovered on unpacking, a replacement part will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation as no responsibility for refitting or redecoration can be accepted if defective products have been installed or products have been damaged during installation. In these cases and in the case of accidental damage after installation, in-situ repairs might be possible. Please refer to your retailer for further information.



Material Specification

These fireplaces are made from natural materials and whilst we select only the best quality stones, colour and veining variation will occur from brochure images and showroom displays. This is the beauty of natural stone and guarantees that your fireplace will be truly unique. Likewise, due to the nature of the materials used, it may be necessary to reinforce

or use suitable filler to eliminate brecciation in the material either during manufacture or installation of your fireplace. This is naturally occurring and hence outside of our control, and does not infer that the product is faulty or substandard. Individual characteristics are shown below for the materials featured in this brochure.

Aegean Limestone

Originating from Turkey this stunning creamy white limestone is fine grained and infused with thousands of small fossils. During the manufacturing process many of these become loosened resulting in ‘pitting’ across the material surface. This is a characteristic of the material and adds to the natural beauty of the product. Supplied in a honed finish this material will require sealing after installation.

Portuguese Limestone

Fused over millions of years, this limestone contains fossilised plant and animal remains embedded in a cream background resulting in natural veining and grain pattern throughout. Cool to the touch and with a matt finish, this attractive material remains one of our most popular. We use two different variants of this stone.

Semi Rijo: This is sawn parallel to the natural vein in the stone resulting in a subtle linear pattern running horizontally across the fireplace. Small fossils will also be present. Often referred to as veined limestone, it remains one of our favourites.

Rosal: This is specially selected and contains far less fossils and veins resulting in a much clearer material. It is cross sawn and has a cloudy, more granular appearance when finished. It is well suited for more ornate fireplace designs.

Charmot Limestone

A warm, earth-toned limestone with a light beige background, medium grain and occasional shell inclusions. It is quarried in Massangis, France. Consistent grain distribution stippled evenly across the surface lends a subdued visual texture that’s versatile in any design aesthetic.

Sandstone

A sedimentary rock composed mainly of sand-sized minerals and rock grains. This material is of a softer density and requires a more considered approach when handling and during installation. With a consistent light tan colour and a natural textured finish, this material has a solid, earthy appearance and slightly abrasive feel.

Material Specification

Granite

Black Granite: Although we refer to this as a ‘granite’, it is actually a type of fine to medium grained gabbro. Black in colour with gold flecks, it can be highly polished to a consistent colour and deep lustre, giving it a high resistance to scratching and staining. We also supply it in a honed finish that should be treated after installation to prevent accidental marking.

Flamed Grey Granite: A different chemical make up gives this gabbro its distinct grey and white flecked appearance. To achieve a flamed finish the material is subjected to direct heat via a blow torch that causes individual crystals to suffer thermal shock and ‘pop out’ leaving a slightly rough, textured surface.

Slate

Black Italian Slate: This is a fine-grained metamorphic rock mined in Liguria, Northern Italy. Although extremely resilient to heat, water and chemically inert, it has a smooth honed surface that can be susceptible to scratching. Minor damage can be easily remedied with a fine wet and dry sand paper, and we suggest it is oiled after installation.

Important Information

Installation

Having a new fireplace installed is a major project and it is advisable to prepare yourself as well as possible. Please ensure your chosen fireplace will physically fit your chimney breast and that it is compatible with the intended heating appliance. The best way to confirm this will be to organise a home survey with the retailer or your installer prior to purchase. All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, paying particular attention to Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations. For gas installations, the most recognised independent body is **GAS SAFE REGISTER** and for solid fuel installations it is **HETAS**. It is essential to confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace installed by a **GAS SAFE REGISTER** (gas) or **HETAS** (solid fuel) registered fitter you will be given a certificate stating that your installation has been carried out in accordance with Building Regulations. If you do not have one of these certificates you will have to arrange for your local Building Control Officer to inspect and approve your installation.

Product Specification

FDC (UK) Ltd has a continuous research and development programme which may necessitate changes to sizes and specifications without prior notification. If any size is critical this should be made clear to your retailer at point of order.





The Fireplace Gallery

www.fdcuk.co.uk

