

Stoves & Surrounds



FDC Stoves and Surrounds

Welcome to the latest edition of the FDC Stove brochure featuring our Ecodesign range of free standing stoves pictured in fireplaces selected from our ever increasing collection.

Over the last few years the fireplace and stove market has developed to meet the requirements of the modern day home coupled with the need to protect the environment we live in. That pace of change has recently picked up and after the initial resurgence of wood logs as a practical, low carbon heating choice offering an exciting visual flame picture that older stove designs simply could not achieve, we now strive for improvement of environmental emissions. The industry has responded to this with vigour in promoting the new Ecodesign 2022 standards in the form of the official Stove Industry Alliance (SIA) Ecodesign Ready scheme (www.stoveindustryalliance.com)

The FDC free standing range of stoves are now officially listed and accredited by this government recognised scheme so you can choose any of these models with total confidence that they are in the top echelon of low emitting appliances in the world today. FDC stoves incorporate advanced, patented firebox combustion technology developed in the UK and resulting in very clean burning and highly efficient stoves. The fuel efficiency of our stoves begins at 79% and rises to over 82% but thermal performance is only a small part of the story as our air wash and tertiary air profiling technology are an integral part of the low emissions combustion process. Every model in the range easily achieves DEFRA exemption for

burning seasoned wood logs in smoke control areas on top of a robust pass on all Ecodesign 2022 emissions criteria.

Our stoves are UK designed using the latest 3D CAD software and rigorously tested for performance and safety in UK laboratories to ensure full compliance with the latest regulations. They are manufactured using CNC laser profiling and assembled to exacting standards using only the finest grade materials. Each product extensively utilises quality cast iron, stainless steel, mild steel plate, ceramic glass, castable refractories and high grade heat resistant coatings as required to give you an incredibly strong and long lasting product to rely on. All products are designed and manufactured under independently assessed ISO9001 quality and ISO14001 environmental management system accreditations.

In order to get the best performance from your FDC stove whilst maintaining low emissions we only recommend using top-quality fuels and kiln dried hardwood logs. The government recognised Ready To Burn scheme (www.woodsure.co.uk) ensures that consumers are able to source reliable supplies of wood fuel nationally however many local firewood suppliers exist and offer excellent products. If in any doubt always choose kiln dried hardwood logs for burning straight away and invest in a good moisture meter to be confident of the suitability of your fuel.





Contents

Free Standing Multifuel Stoves

FDC4 Eco Stove - 4kW	Pages 2-5
FDC5 Eco Stove - 5kW	Pages 6-9
FDC5 Wide Eco Stove - 5kW	Pages 10-13
FDC8 Eco Stove - 8kW	Pages 14-17
BLISS 5 Stove - 5kW	Pages 18-19
TFG5 Woodburning Stove - 5kW	Pages 20-21

Stove Chambers

Page 22

Inset Multifuel Stoves

ARIEL Stove - 5kW	Pages 23-27
CALYPSO Stove - 5kW	Pages 28-31


Gas and Electric Stoves

COLUMBIA CF Gas Stove	Pages 32-33
COLUMBIA BF Gas Stove	Pages 34-35
STATEN Electric Stove	Pages 36-37

Technical



Fireplace Dimensions	Page 38-40
Important Information	Page 40
Material Specifications	Page 41

FDC4 Eco Multifuel Stove



FDC 4 kW FREESTANDING STOVE DIMENSIONS

Approx. weight 50kg



- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 4kW output
- Draught-controlled tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency - 81.8% wood
- Efficiency - 79.8% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth
- Accepts up to 12" logs





Mantel:

Victorian Classic
in Aegean Limestone

Interior:


Rustic Cobble brick chamber

Stove:

FDC4 Eco Multifuel stove

Hearth:

Honed Black Granite





Mantel:

Abingdon


in Portuguese Limestone

Interior:

Reeded Fireboard chamber

Stove:

*FDC4 Eco Multifuel stove
with optional black handle*





Mantel:

Beckford with stove slips
in Portuguese Limestone

Interior:


Reeded Fireboard chamber

Stove:


FDC4 Eco Multifuel stove

Hearth:

Honed Black Granite





FDC5 Eco Multifuel Stove



FDC 5 kW FREESTANDING STOVE DIMENSIONS

Approx. weight 60kg



- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 5kW output
- Draught-controlled tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency - 81.7% wood
- Efficiency - 79.5% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth
- Accepts up to 12" logs





Mantel:


Boscombe
in Sandstone

Interior:

Reclaimed brick chamber

Stove:

FDC5 Eco Multifuel stove





Mantel:

Epsom
in Aegean Limestone

Interior:


Charcoal slate chamber

Stove:

FDC5 Eco Multifuel stove

Hearth & Slips:

Honed Italian Slate





Mantel:

Dorchester


in Portuguese Limestone

Interior:


Reeded Fireboard chamber

Stove:

FDC5 Eco Multifuel stove



FDC5 Wide Eco Multifuel Stove



- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 5kW output
- Draught-controlled tertiary airwash system
- Extra large ceramic glass window
- External rotary grate riddling system
- Efficiency - 80.8% wood
- Efficiency - 81.6% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth
- Accepts up to 15" logs





Mantel:

Cotswold
in Rosal Limestone

Interior:


Reclaimed Cobble brick chamber

Stove:

*FDC5 Wide Eco Multifuel stove
with optional black handle*

Hearth:

Honed Black Granite






Mantel:
Langford
 in Portuguese Limestone

Interior:
 Reeded Fireboard chamber

Stove:
 FDC5 Wide Eco Multifuel stove





Mantel:

Lincoln
in Solid Oak

Interior:


Arched Rustic Cobble chamber

Stove:


FDC5 Wide Eco Multifuel stove

Hearth:


Honed Italian Slate



FDC8 Eco Multifuel Stove



- SIA Ecodesign Ready 2022 certified
- Ultra clean burning
- 8kW output
- Draught-controlled tertiary airwash system
- Extra large ceramic glass window
- External rotary grate riddling system
- Efficiency - 81.1% wood
- Efficiency - 82.9% smokeless fuel
- DEFRA exempt as standard for use in any location
- 5" Liner compatible
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth
- Accepts up to 15" logs





Mantel:


Provence
in Portuguese Limestone

Interior:

Brick effect stone chamber

Stove:

FDC8 Eco Multifuel Stove





Mantel:

Rutland

in Aegean Limestone

Interior:


Block Fireboard chamber

Stove:

*FDC8 Eco Multifuel stove
with optional black handle*

Hearth:

Angolan Black Granite





Mantel:

Pembroke
in Sandstone

Interior:


Smooth Buff brick chamber

Stove:


FDC8 Eco Multifuel stove

Hearth and Slips:

Honed Italian Slate



Bliss 5 Multifuel Stove



- Extended 5 year warranty
- 5kW output
- Clean burn technology
- External rotary grate riddling system
- Efficiency – 78.1% wood
- Efficiency – 73.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- DEFRA exempt as standard for use in any location
- Burn rate controlled via primary and secondary air regulators
- Heavy duty cast iron construction
- Fireclay firebox liners
- Accepts up to 10" logs






Mantel:
Bolection
in Grey Emperador marble


Interior:
Oyster Slate chamber

Stove:
Bliss 5 Multifuel Stove

Hearth and Slips:
Grey Emperador marble



TFG5 Woodburning Stove



- Extended 5 year warranty
- 5kW output
- Clean burn airwash system
- Efficiency – 75% wood
- CE approved for wood
- DEFRA exempt as standard for use in any location
- Burn rate controlled via primary and secondary air regulators
- Only requires a 12mm thick superimposed hearth
- Cast iron body and firebox liners
- Accepts up to 11" logs





Mantel:

Baverstock
in Aegean Limestone

Interior:


Reeded Fireboard chamber

Stove:

TFG5 Woodburning stove

Hearth and slips:

Polished Black Granite




Chambers



COBBLE BROWN



COBBLE CREAM



COBBLE LAVENDER



COBBLE RECLAIMED



COBBLE RUSTIC



CHARCOAL SLATE



OYSTER SLATE



OLD RED STOCK



SMOOTH BUFF



BRICKYARD RECLAIMED

Multifuel Inset Stoves

Not every property can house a free standing stove without extensive building work or removal of an existing fireplace so the inset stove (sometimes referred to as a cassette stove) has been developed for these situations.

We offer two 5kW multifuel models, the Ariel and the Calypso. These are available in Steel or Glass finish with either 3 or 4 sided matching frames. Both models have wood burning efficiencies in excess of 79% and are very clean burning with a draught-controlled tertiary air system. The secondary air wash ensures the ceramic glass window stays clear during normal usage. A nickel plated removable door handle compliments the modern look and sleek lines of these models and the multifunctional operating tool completes the picture. A cast iron multifuel kit is available as an extra for customers who intend to use smokeless fuel as their primary fuel rather than kiln dried wood logs. This kit reduces the internal volume of the firebox and protects the firebox liners.

Ariel

The Ariel is a multifuel stove designed to fit 16" fireplace openings (after removal of the tapered fire brick) and with its large ceramic glass window offers the maximum possible view of the burning fire unlike many others in its size class. Performance has not been compromised and at 5kW output boasts efficiencies of over 83% and it has easily attained DEFRA exemption for use in smoke control areas. An optional 5" spigot and cover plate is available to enable connection to a 5" liner.




Calypso

The Calypso is a mid-sized multifuel inset stove with a nominal 5kW output and an extra wide window giving a superb view of the combustion chamber. This additional firebox width also enables the stove to be loaded with logs up to 15" wide which, coupled with 80% wood burning efficiency, makes an impressive statement. The Calypso has been tested and passed the criteria for use in UK smoke control areas but is currently not listed as a DEFRA exempt appliance.



Ariel 5 Multifuel Stove



- Extended 5 year warranty
- 5kW output
- Clean burn tertiary airwash system
- Large ceramic glass window
- Efficiency – 80.0% wood
- Efficiency – 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- DEFRA exempt as standard for use in any location
- Simple flue connection via the internally removable top outlet spigot
- 5" liner compatible (additional adapter required)
- Optional cast iron multifuel kit available – protects liners and reduces internal volume when burning smokeless fuel.
- Multifuel riddling grate
- Choice of steel or glass finish
- Three and four sided frame option
- Nickel plated removable door handle
- Accepts up to 11" logs





Mantel:


Bolection with shelf
in Chamot Limestone

Stove:

Ariel Steel Multifuel Stove

Hearth and slips:

Flamed Grey Granite
(sectioned for solid fuel)





Mantel:

Shelby


in Aegean Limestone

Stove:

Ariel Glass Multifuel stove

Hearth and Slips:

*Flamed Grey Granite
(sectioned for solid fuel)*






Mantel:

Princeton


*in Portuguese Limestone
(Hearth is sectioned for solid fuel
with a granite heat plate)*

Stove:

Ariel Steel Multifuel stove



Calypso 5 Multifuel Stove



- Extended 5 Year Warranty
- 5kW output
- Clean burn tertiary airwash system
- Panoramic ceramic glass window
- Efficiency – 79.5% wood
- Efficiency – 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Simple flue connection via the internally removable top outlet spigot
- Optional cast iron multifuel kit available – protects liners and reduces internal volume when burning smokeless fuel
- Multifuel riddling grate
- Choice of steel or glass finish
- Three and four sided frame option
- Nickel plated removable door handle
- Accepts up to 15" logs





Mantel:


Flat Victorian
in Blue Sandstone

Stove:

Calypso Steel Multifuel Stove

Hearth and Slips:

*Blue Sandstone
and Aegean Limestone*





Stove:
*Calypso Steel Multifuel Stove
with four sided frame*



Mantel:


Victorian Classic
in Aegean Limestone

Stove:


Calypso Glass Multifuel Stove

Hearth and Slips:

Honed Black Granite



Columbia CF Gas Stove



- Extended 5 year warranty
- Heavy duty steel body with a cast iron door
- Realistic ceramic log fuel bed
- Panoramic ceramic glass window
- Manual control with integral ignition
- Available for use with natural gas & LPG
- Efficiency - up to 78%
- 3.6kW output
- CE approved
- No flue liner required*
- Conventional flue (CF) model for use in Class 1, Class 2 & pre-cast flues
- Top or rear flue option (rear closure plate supplied)
- Only 50mm free air gap required around the stove**
- Only requires a 12mm thick non combustible hearth

* Subject to chimney / flue condition

** Only 45mm required behind stove





Mantel:

Edinburgh Corbel
in Crema Fiore Micromarble

Interior:


Smooth Buff brick chamber

Stove:


Columbia CF Gas Stove

Hearth and Slips:

Polished Black Granite



Columbia BF Gas Stove



- Extended 5 year warranty
- Heavy duty steel body with a cast iron door
- Realistic ceramic log fuel bed
- Panoramic ceramic glass window
- Infra-red remote control
- Available for use with natural gas only
- Efficiency - up to 88%
- 4.3kW output
- CE approved
- No chimney required
- Balanced flue (BF) model for use in homes with no chimney*
- Only 50mm free air gap required around the stove**
- Only requires a 12mm thick non combustible hearth

* External wall required

** Only 45mm required behind stove







Mantel:
Beckford
 in Aegean Limestone

Interior:
 Oyster Slate chamber

Stove:
 Columbia BF Gas Stove



Staten Electric Stove



- Extended 5 year warranty
- Heavy duty steel body with a cast iron door
- Realistic ceramic log fuel bed
- Panoramic ceramic glass window
- High level heater outlet
- Up to 2kW output
- CE approved
- Multifunctional remote control
- Ecoflame™ 3D flame effect technology
- Choice of four flame effects
- Two heat settings 1000W / 2000W
- Manual override buttons
- Thermostat and timer as standard






Mantel:
Edwardian Corbel
in Aegean Limestone

Interior:
Old Red Stock brick chamber

Stove:
Staten Electric Stove

Hearth and Slips:
Aegean Limestone



Fireplace Dimensions

ABINGDON	
Shelf:	1320 x 210 x 50
Hearth:	1320 x 410 x 50 SOLID SQUARE
Back Hearth:	900 x 420 x 30
Height (inc hearth):	1110
Mantel Opening:	810 wide x 810 high
Across Legs:	1210
Leg Depth:	140
Rebate:	80

BECKFORD <i>in Portuguese Limestone</i>	
Shelf:	1220 x 180 x 50
Hearth:	N/A
Height:	990
Mantel Opening:	760 wide x 760 high
Stove Opening:	660 wide x 685 high
Across Legs:	1120
Leg Depth:	125
Rebate:	35

BOSCOMBE	
Shelf:	1370 x 200 x 50
Hearth:	1370 x 410 x 50 SOLID SQUARE
Back Hearth:	900 x 380 x 30
Height (inc hearth):	1110
Mantel Opening:	840 wide x 700 / 820 high
Stove Opening:	740 wide x 700 / 770 high
Across Legs:	1250
Leg Depth:	125
Rebate:	35

BAVERSTOCK	
Shelf:	1370 x 200 x 65
Hearth:	N/A
Height:	1165
Mantel Opening:	910 wide x 910 high
Across Legs:	1255
Leg Depth:	135
Rebate:	75

BOLECTION NO SHELF	
Shelf:	1280 x 115
Hearth:	N/A
Height:	1095
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

COTSWOLD	
Shelf:	1450 x 190 x 75
Hearth:	N/A
Height:	1165
Mantel Opening:	850 wide x 820 / 890 high
Across Legs:	1290
Leg Depth:	120
Rebate:	35

BECKFORD <i>in Aegean Limestone</i>	
Shelf:	1220 x 180 x 30
Hearth:	1220 x 380 x 50 FLUSH BOXED
Height:	1020
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	125
Rebate:	75

BOLECTION WITH SHELF	
Shelf:	1460 x 205 x 105
Hearth:	N/A
Height:	1200
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

DORCHESTER	
Shelf:	1370 x 180 x 50
Hearth:	1370 x 410 x 50 SOLID WITH BEVEL
Back Hearth:	800 x 380 x 30
Height (inc hearth):	1070
Mantel Opening:	890 wide x 790 high
Arched Slip Opening:	710 wide x 640 / 700 high
Across Legs:	1250
Leg Depth:	105
Rebate:	N/A

Fireplace Dimensions

EDINBURGH CORBEL	
Shelf:	1370 x 290 x 60
Hearth:	N/A
Height:	1155
Mantel Opening:	880 wide x 880 high
Across Legs:	1270
Leg Depth:	200
Rebate:	75

FLAT VICTORIAN	
Shelf:	1370 x 200 x 30
Hearth:	1370 x 410 x 60 B&L SQUARE
Height (inc hearth):	1210
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1275 (adj)
Leg Depth:	145
Rebate:	25

PEMBROKE	
Shelf:	1370 x 195 x 105
Hearth:	N/A
Height:	1165 / 1255 (with cushion)
Mantel Opening:	910 wide x 910 high
Across Legs:	1210
Leg Depth:	145
Rebate:	25

EDWARDIAN CORBEL	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1345 (adj)
Leg Depth:	140
Rebate:	75

LANGFORD	
Shelf:	1530 x 205 x 60
Hearth:	1530 x 410 x 60 SOLID SQUARE
Back Hearth:	1000 x 410 x 30
Height (inc hearth):	1220
Mantel Opening:	900 wide x 850 / 900 high
Stove Opening	760 wide x 790 / 830 high
Across Legs:	1380
Leg Depth:	140
Rebate:	35

PRINCETON	
Shelf:	1370 x 190 x 50
Hearth:	1370 x 410 x 50 SOLID WITH BEVEL
Height (inc hearth):	1100
Mantel Opening:	870 wide x 810 high
Across Legs:	1250
Leg Depth:	130
Rebate:	35

EPSOM	
Shelf:	1420 x 215 x 30
Hearth:	N/A
Height:	1140
Mantel Opening:	890 wide x 890 high
Across Legs:	1235
Leg Depth:	130
Rebate:	25 or 75 (please specify)

LINCOLN	
Shelf:	1370 x 180 x 32
Hearth:	N/A
Height:	1155
Mantel Opening:	915 wide x 915 high
Across Legs:	1245
Leg Depth:	115
Rebate:	25 / 75

PROVENCE	
Shelf:	1450 x 345 x 100
Hearth:	1450 x 410 x 60 SOLID SQUARE
Back Hearth:	1000 x 450 x 30
Height (inc hearth):	1200
Mantel Opening:	905 wide x 860 high
Stove Slip Opening:	785 wide x 760 high
Across Legs:	1265
Leg Depth:	130
Rebate:	35

Fireplace Dimensions and Important Information

RUTLAND	
Shelf:	1475 x 210 x 55
Hearth:	N/A
Height:	1120
Mantel Opening:	820 wide x 705 / 840 high
Across Legs:	1360
Leg Depth:	150
Rebate:	30

48" VICTORIAN CLASSIC	
Shelf:	1220 x 200 x 30
Hearth:	N/A
Height:	1075
Mantel Opening:	840 (adj) wide x 890 high
Across Legs:	1140 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

51" SHELBY	
Shelf:	1295 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	835 wide x 865 high
Across Legs:	1195
Leg Depth:	145
Rebate:	75

54" VICTORIAN CLASSIC	
Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1100
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1295 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

54" SHELBY	
Shelf:	1370 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	865 wide x 865 high
Across Legs:	1270
Leg Depth:	145
Rebate:	75

60" VICTORIAN CLASSIC	
Shelf:	1520 x 200 x 30
Hearth:	N/A
Height:	1165
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1385 (adj)
Leg Depth:	150
Rebate:	75

Installation

Having a new fireplace installed is a major project. It is advisable to prepare yourself as well as possible. Please ensure your chosen fireplace will physically fit your chimney breast and that it is compatible with the intended heating appliance. The best way to confirm this will be to organise a home survey with the retailer or your installer prior to purchase.

All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, paying particular attention to Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations. For gas installations, the most recognised independent body is GAS SAFE REGISTER and for solid fuel installations it is HETAS. It is essential to confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace installed by a GAS SAFE REGISTER (gas) or HETAS (solid fuel) registered fitter you will be given a certificate stating that your installation has been carried out in accordance with Building Regulations. If you do not have one of these certificates you will have to arrange for your local Building Control Officer to inspect and approve your installation.

Product Specification

We have a continuous programme of development and improvement. We therefore reserve the right to revise the specification and design, or discontinue any of our fireplaces and appliances without formal notice. The fireplaces in this brochure are hand finished and as such, all measurements are approximate and may vary slightly from those published. If any dimension or detail is critical, this should be made clear to your retailer and confirmed with us prior to purchase. We accept no liability for any loss or damage arising, either directly or indirectly from the use of this brochure.

Brochure Photography

Photography is for illustration purposes only and does not replace the need to see these fireplaces in a showroom. The colours shown in the brochure are as accurate as possible, however colour and veining variation will occur from photographs. Some room sets may appear not to comply with the requirements of the latest building regulations. We would always advise that you check your proposed installation with an approved installer or showroom before proceeding.

Material Specification

These fireplaces are made from natural materials and whilst we select only the best quality stones, colour and veining variation will occur from brochure images and showroom displays. This is the beauty of natural stone and guarantees that your fireplace will be truly unique. Likewise, due to the nature of the materials used, it may be necessary to reinforce or use

Aegean Limestone

Originating from Turkey this stunning off-white limestone is fine grained and infused with thousands of small fossils. During the manufacturing process many of these become loosened resulting in 'pitting' across the material surface. This is a characteristic of the material and adds to the natural beauty of the product. Supplied in a honed finish this material will require sealing after installation.

Portuguese Limestone

A light cream coloured material fused over millions of years, it contains fossilised plant and animal remains resulting in natural veining and grain pattern throughout. Cool to the touch and with a matt finish, this attractive material remains one of our most popular. We use two different variants of this stone.

Semi Rijo: This is sawn parallel to the natural vein in the stone resulting in a subtle linear pattern running horizontally across the fireplace. Small fossils will also be present. Often referred to as veined limestone, it remains one of our favourites.

Rosal: This is specially selected and contains far less fossils and veins resulting in a much clearer material. It is cross sawn and has a cloudy, more granular appearance when finished. It is well suited for more ornate fireplace designs.

Chamot Limestone

This French beige stone is a hard, dense limestone containing many small fossils. It is slightly darker than Portuguese limestone and has a more speckled appearance. It is supplied cross sawn and honed giving it a warm and rustic look.

Sandstone

A sedimentary rock composed mainly of sand-sized minerals and rock grains. This material is of a softer density and requires a more considered approach when handling and during installation. With a consistent light tan colour and a natural textured finish, this material has a solid, earthy appearance and slightly abrasive feel.

Natural Marble

Grey Emperador Marble: Quarried in Turkey this exquisite material comprises a network of light silver veins running randomly through the darker grey background colour, giving each fireplace a truly unique appearance. It varies from light to dark grey and can be supplied in either honed or polished finish.

suitable filler to eliminate brecciation in the material either during manufacture or installation of your fireplace. This is naturally occurring and hence outside of our control, and does not infer that the product is faulty or substandard. Individual characteristics are shown below for the materials featured in this brochure.

Micromarble

Micromarble is a conglomerate material consisting of up to 95% natural marble. The other ingredients are pigment colouring and resin. These are scientifically mixed, poured into a mould and allowed to cure. The blocks are then sawn into different thicknesses of slab ready for face polishing and processing into the finished fireplaces seen in this brochure. Although the above processes are highly controlled, please be aware that pattern variations will occur and it is quite normal to have darker specks showing in the lighter colours of this material.

Granite

Black Granite: Although we refer to this as a 'granite', it is actually a type of fine to medium grained gabbro. Black in colour with gold flecks, it can be highly polished to a consistent colour and deep lustre, giving it a high resistance to scratching and staining. We also supply it in a honed finish that should be treated after installation to prevent accidental marking.

Flamed Grey Granite: A different chemical make up gives this gabbro its distinct grey and white flecked appearance. To achieve a flamed finish the material is subjected to direct heat via a blow torch that causes individual crystals to suffer thermal shock and 'pop out' leaving a slightly rough, textured surface.

Slate

Black Italian Slate: This is a fine-grained metamorphic rock mined in Liguria, Northern Italy. Although extremely resilient to heat, water and chemically inert, it has a smooth honed surface that can be susceptible to scratching. Minor damage can be easily remedied with a fine wet and dry sand paper, and we suggest it is oiled after installation.

Our Pledge

You can purchase any of the products shown in this brochure with total confidence. In the unlikely event that there is a defect discovered on unpacking, a replacement part will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation as no responsibility for refitting or redecoration can be accepted if defective products have been installed or products have been damaged during installation. In these cases and in the case of accidental damage after installation, in-situ repairs might be possible. Please refer to your retailer for further information.





Stoves & Surrounds

www.fdcuk.co.uk