

Minimise Your Waste Maximise Your Savings

APV500 Baler

Specification

The APV500 Baler is ideal for those seeking to minimise the space taken up by waste products and make it more manageable.

With fast cycle time, large loading aperture, heavy duty compaction and low noise levels, the APV500 Baler is also the perfect choice for those keen to reap the benefits of recycling whether improving your carbon footprint or receiving payment for any recycled materials.

The balers are easy to operate, safe to use and backed by a network of our own engineers to ensure maximum reliability.



Technical Information

Compaction Force	50 Tonnes
Power Requirement:	32A 3Ph + N + E Socket outlet fused at 32Amp D type with local 30 Milliamp RCD protection (If you have an existing supply that doesn't match this specification, please contact technical@capitalcompactors.co.uk to check if it's usable or discuss a solution)
Motor	7.5kW
Noise Level	70dB at 3m From Unit
Cycle Time	40 Seconds
Loading Aperture	1200mm x 704mm
Maximum Bale Size	1200mm x 800mm x 1000mm
Bale Weight	Up to 500kg (Depending on material)
Overall Depth	1158mm
Overall Width	1400mm
Main Frame Height	2892mm (Transportation height is 2150mm)
Variant Shown	Standard Machine

The details provided in our specification sheets are for your general information and use only. They are subject to change due to the continual design and build development.

Capital Compactors

Capital House, 26 Sudley Road, Bognor Regis, West Sussex PO21 1ER

www.capitalcompactors.co.uk

call +44 (0)1243 837614

email enquiries@capitalcompactors.co.uk











Minimise Your Waste Maximise Your Savings



