

Index

Delivery and Collections	1
Sandstone	2
Limestone	4
Slate	5
Natural stone care	5
Porcelain	6
Porcelain care	11
Decorative gravel	12
Building materials	14
Composite decking & fencing	15
Horticultural	16
Sleepers	16
Sundries	17
Artificial grass	17
Sizes & availability	18
Information	20

Welcome

Welcome to Rivar Sand & Gravel Ltd. We are a long established family run business supplying builders, landscapers and members of the public with a range of building and landscaping products to help them create inspiring homes and gardens.

With over 30 years experience we are here to help you source and supply all the products you need. Please don't hesitate to contact us to discuss your requirements.



Newbury	Hare Hatch
01635 871003	01189 401890
Tadley	Windlesham
01256 855052	01344 874287

Delivery and Collections

All our branches have bays full of sand, ballast, sub-base and gravels. Builders and members of the public are very welcome to collect whatever amount they will need.

We deliver on a daily basis. For large quantities we provide a 'loose tip' service or on smaller projects and for added convenience we can provide materials in 'bulk bags' off loaded by crane.

If site access is limited then a full range of building materials is available in polythene bags to collect or have delivered.



Sandstone

Our range of high quality natural sandstone brings together a blend of colours to enhance any garden. The natural variations in tone make each project distinctive and unique.

Combined with a circle feature and sett edges it gives your garden an eye catching and welcoming feature for years to come.



Riven Sandstone









Setts















Circles






Stepping stones



Pavesetts











Tumbled walling









Mint

Raj Green

Classic Storm

Modal


Limestone

With outstanding visual appeal, subtle shading and natural veining this durable paving is popular with designers working in more shaded gardens. Perhaps less riven than a sandstone our limestone range can be purchased in single size slabs or a mix of sizes to suit your needs.



Paving










Classic Silver Limestone





Setts





Pavesetts





Slate

A traditional material that suits both modern and traditional designs. Sawn edges enhance the contemporary look of this highly durable paving.



Natural stone care



Joint-it Simple

Ready-to-use paving jointing mortar. Easy to use mortar jointing product suitable for use in wet or dry weather.

Available in 4 colours:

- · Black
- · Dark Grey
- · Buff
- Grey





Patio cleaner

Intensive cleaner that destroys black spots in one easy application, also works on lichen, moss and stains leaving your patio, path and driveway looking their best all yearround.





Everbuild Path & Patio Seal

Long lasting protection from water, sunlight, oil and mould growth, dries clear with a non-slip finish.



Porcelain

Porcelain paving is ideal for designers and homeowners who want a clean fresh contemporary garden. Proven to withstand the British climate porcelain paving has a consistent colour, size and texture allowing for a crisp, clean and beautifully finished modern look.



Visit our website for more product ranges...




























Wood effect
































Porcelain care



Porcelain Primer

High performance one coat priming slurry enabling porcelain to be laid on sand and cement bedding.



Cleaner

Porcelain Cleaner providing long lasting protection, non-acid based.



Brush in porcelain grout

Brush in porcelain grout available in 4 colours: Buff, Mid Grey, Basalt and Black.



Buff Mid Basalt Black



Rapid flow grout

Rapid Flow fast and easy to use brush in porcelain grout available in 5 colours: Buff, Light Grey, Mid Grey, Basalt and Black.



Decorative gravel

We aim to supply some of the most attractive gravels found throughout Britain and Europe. From traditional Cotswold Chippings to rounded cobbles from Turkey. Gravel and chippings can enhance your driveway, flowerbeds or water features to give you a stunning feature.



Visit our website for more product ranges...














Building materials

Building materials are not only used for laying paving and patios, they are also used for many garden projects from laying a base for a shed to hard landscaping your outdoor space. All our branches have bays containing all the building materials you need, ready to be delivered or collected as and when you need them, you are welcome to bring your own bags and containers to fill.



















ent

Post mix











Admixture

Composite decking and fencing


Designed in Britain and made from recycled materials, composite decking, fencing and balustrades provide a low maintenance, sustainable alternative to timber decking, leaving you more time to enjoy your outdoor space.







- ✓ Anti-slip
- ✓ 100% quality inspected
- ✓ Resistant to mould
- ✓ Hidden fixings
- ✓ British design
- ✓ Ultra Low maintenance
- ✓ Long life
- ✓ Splinter free
- ✔ Dual sided
- ✓ Fire resistant



Traditional.

Coextruded in a Woodgrain finish in Light Grey/Ebony and Teak/Wahut

Rustic.

The look of traditional weathered timber in Walnut and Grey

Contemporary.

Dual sided with woodgrain and grooved finishes in hollow or solid boards in Grey, Charcoal and Coffee









Horticultural

Available in loose tip loads or bulk bags we supply a range of soils and compost for flower beds, vegetable gardens and under turf. Landscape bark is available for footpaths and mulching and a British Standard play bark is kept in stock. Please speak to our sales team about the full range of horticultural products on offer.



Sleepers

An increasingly popular feature in the garden, sleepers provide a cost effective solution for raised flower beds, vegetable gardens as well as retaining walls. New hardwood and reclaimed sleepers are kept in stock for collection or delivery.



Sundries

A whole range of extras are available to make sure your project stands out. Matting to keep weeds down, grids to reduce gravel movement, flexible edges to help define the shape of your borders.

Please visit our website for the full range of options. www.rivarsandandgravel.co.uk









Tarpaulins









Artificial grass

The artificial grass option means you can have your lawn perfect all year round no matter the weather or those who use it.

- · Authentic look and feel
- No more fussing, digging or mowing
- Child friendly but without the mess or mud
- Great for pets





Sizes and availability

Paving = available	285 x 285	300 x 300	570 x 285	570 x 570	600 x 300	009 x 009	855 x 570	009 × 006	Circles	600 Series project pack*
Product name					Size	s (mm))			
Black Limestone		/			/	1		1		1
Black Slate		/			/	1		/		1
Classic Gold		/			/	/		/		/
Classic Indian York		/			/	/				/
Classic Silver		/			/	1		1		1
Classic Storm		/			/	1		1		1
Cotswold Limestone		/			/	1		1		1
Golden Sand Sandstone	1		1	1			1		1	
Grey Sandstone		/			/	1		/	1	/
Kurnool Grey Limestone										/
Modak Sandstone		1			/	1		1	1	1
Mint Sandstone		/			/	1		1	1	/
Raj Green Sandstone		1			/	1		1	1	1
Rippon Buff Sandstone		1			/	1		1	1	1
Silver Grey Limestone		1			/	1		1		1

^{*} A project pack contains the following sizes of slabs 900mm x 600mm, 600mm x 600mm, 600mm x 300mm and 300mm x 300mm. Part packs can be purchased.

Pavesetts

3 size mix packs	Sizes (mm)	Pcs per pack	M²/pack
Classic Gold			
Classic Silver			
Classic Storm	240 x 160	144 (each)	
Classic Indian York	160 x 160	144 (each)	13.46
Rippon Buff	120 x 160	144 (each)	
Modak			

The product sizes and coverage stated are those achieved when laid using a 10mm joint. The colours illustrated on this leaflet are as close as photographic and printing processes allow. Before you purchase a Rivar Sand & Gravel product, we strongly recommend that you visit your nearest stockist to personally view the colour and texture. Due to the composition of natural stone and the way it is cut by craftsmen, colour and thickness variations will occur. The product dimensions and square meterage may also be subject to small variations. Stone products should be examined prior to laying, as we do not accept responsibility for the cost to re-lay an area if a fault is discovered within the paving. Ledger walling cladding will contain blemishes, veining, small chipping (to the corners and sides) and small holes, all of which are natural characteristics of stone. These features will enhance the appearance of stone. Speak to a member of the sales team for more information. Always order an additional 10% to allow for wastage, cuts and the occasional piece which you may not like the look of. All natural stone will vary in colour, texture and natural markings. A small sample will not give an accurate reflection of how your wall or patio will look. We strongly recommend a visit to our showroom to speak to a member of our team. Natural stone paving slabs are not suitable for driveways.

Sizes and availability

Porcelain	009 x 009	009 x 006	000 x 006	900 x 450	800 x 400	1200 x 400	1200 x 600	1000 x 500	Mix pack
Product name	Sizes (mm)								
Amber	1	1							/
Ash	/	/							/
Beige	/	1							
Cardoso Dark		/							
Cardoso Light		1							
Castello Grey	/	1							
Cementino		1							
Cinnamon Wood Effect					1				
Ebony	1	1							1
Jasmine Wood Effect					1				
Kandla Grey		1							
Lava		1							
Pearl		1							
Sandal Wood Effect					/				
Silver Cloud	/	1							
Vanilla Wood Effect					/				
Chique Grey					/				
Chique Ivory					/				
Chique Anthracite					/				
Stone Silver					/				
Stone Black					/				
Jura Grey		/							
Jura Graphite		/							
Stone Rock Ash								1	
Stone Rock Light								1	
Stone Rock Black								/	
Stone Rock White								/	
Calanca Light						/			
Calanca Dark						/			

Porcelain	009 x 009	009 x 006	000 x 000	900 x 450	800 x 400	1200 x 400	1200 x 600	1000 x 500	Mix pack
Product name		Sizes (mm)							
Tribeca Grey							1		
Tribeca White							/		
Slash Ivory							1		
Slash Almond							/		
Slash Mid Grey							1		
Slash Dark Grey							/		
Slash Anthracite							1		
Durero Grey	1	1	1	1			/		
Durero Grafito	1	1	1	1			/		
Juliette Bone	1	1	1	1			/		
Juliette Gris	1	1	1	1			/		
Juliette Taupe	1	1	1	1			/		
Juliette Antracita	1	1	1	/			/		
Nielson Perla	1	1	1	1			/		
Nielson Beige	/	1	1	1			/		
Nielson Anthracite	1	1	1	1			/		
Nielson Marron	/	1	1	/			/		
Olympo Grey	1	1	1	1			/		
Olympo Sand	/	1	1	1			/		
Olympo Dark	1	1	1	1			/		
Pizzarra Marenago	/	1	1	1			/		
Pizzarra Blanco	1	1	1	1			/		
Pizzarra Gris	/	1	1	1			/		
Pizzarra Negra	1	1	1	1			/		
Merlot Grey		1							
Merlot Graphite		/							
Merlot Bone		/							
Austral Grey		1							
Austral Ivory		1							

Information

Helpful Tips & Advice

Gravel

Gravel is natural product and although we look to supply from the same source as best n, material can change in colour slightly within a quarry. If possible try to order the material you need in one go to minimise the risk of colour change. If topping up your drive or pathway please be aware there could be a variation in colour.

Often gravel is described as 10mm or 20mm to give an indication of size. Please be aware there is some variation in size between the gravel pieces. What gravel you use on a driveway is personal choice but be aware some gravel is softer than others and may crush under car tyres. 'Real' Cotswold and slate chippings are used on driveways but they do powder down and the property owners do top up on a regular basis to keep the area

While our staff will make every effort to give accurate quantity advice we cannot be held responsible for discrepancies in volume required when materials are used on site.

Natural Stone Paving

The product sizes and coverage stated are those achieved when laid using a 10mm joint. The colours illustrated in brochures and photographs are subject to the photographic and printing process and we recommend you visit your local depot and view the displays. Small samples may also fail to reflect the full variations in colour that a natural stone may have. As real stone is a natural product re will be some colour variation within a defined product colour and there will be some variation in surface texture and veining. If using several packs of paving on a project it is recommended that slabs from each pack are taken and mixed as laying takes place. Ledger walling cladding will contain blemishes, veining, and small chippings.

Laying Paving
We recommend all paving is laid on a slightly wet mortar/sand mix with 1 part cement and 5 part building or sharp sand. Do NOT lay paving on 'dot and dab' leaving space and voids under the slabs. This may result in 'shadows' appearing where there is no mortar present under the slab.

On harder natural stone and porcelain cementitious slurry being applied to the back of the slab may help adhesion. Joints between slabs may vary but 10-15 mm is typically appropriate for natural stone while 5 mm ay be achieved with porcelain products.

On lighter natural stones the use of white cement instead of traditional grey Portland cement is recommended. Please ask our sales team about individual product requirements.

Efflore scence

Rivar cannot accept any responsibility for the temporary effects of the natural phenomenon of efflorescence. This temporary phenomenon is caused by a reaction between water and cement and will weather out naturally. There will be no damage to the paving. Chemicals can be used to speed up the removal of efflorescence but it is recomm mend that the appearance be allowed to disappear naturally

Pointing Materials

Many people are now opting for an easy to use brush in pointing material which are available in a range of colours. Whenever you are using these products you must ensure the patio surface is kept soaking wet at all times In warm weather this will mean wetting the surface several times. These pointing products can leave a slight residue on the paving surface which is a lot more pronounced if the patio surface is dry when the product is applied. This residue will disappear over time in natural sunlight.

Cleaning & Maintaining Paving

A range of patio cleaners are available but avoid acid based cleaners that can have a detrimental effect on Limestone paving. If a cleaner is being used always do a small test patch in an area that is not in direct view

Always read manufacturers advice before applying a patio deaner.

Regular light cleaning with a jet wash is the best way to maintain the appearance of your stone. If hard to remove 'black spots' have become embedded within the paving ve recommend Patio Black Spot remover followed by a jet wash.

Not all natural stone or porcelain needs to be sealed - please speak to our sales team Sealants will often change the look of the paved area, some are designed to give a et look and enhance the colours within the paving other tend to be more 'invisible'. Please ask our staff about the range of sealing options available.

Ethical Trading Initiative

Rivar are committed to working with suppliers who follow the Ethical Trading Initiative and who follow the ETI Base Code.

The ETI Base Code

- Employment should be freely chosen with no forced, bonded or involuntary labour.
- 2. Workers have the right to join or form trade unions of their own choosing and to bargain collectively.
- 3. A safe and healthy working environment shall be provided.
- 4. Child labour shall not be used.
- 5. Wages should a lways be enough to meet basic needs and to provide some discretionary income.
- 6. Working hours are not excessive and comply with national laws and benchmark industry standards.
- 7. Workers should be treated equally regardless of race, caste, national origin, religion, age, disability, gender, marital status, sexual orientation, union membership or political affiliation.
- 8. Regular employment for individuals should be provided where work is ongoing
- 9. No harsh or inhumane treatment of workers. Physical abuse (or threat of), sexual or other harassment including verbal abuse or intimidation shall be prohibited.

UKCA Marking



Our company sources material from suppliers providing CE marking on their products and ecordingly meet the appropriate standards.

Terms & Conditions of sale

- 1. Stated throughout Conditions of Sale R.S.G. means Rivar Sand and Gravel Ltd. The "Materials" means goods or Materials to be supplied by R.S.G. and the "Purchaser means the party who accepts a quotation of R.S.G. for the sale of goods or whose order is accepted to be by R.S.G.
- 2. Any quotation by R.S.G. shall be revocable at any time prior to acceptance by the Purchaser. All quotations shall lap 30 days after date of issue should the Purchaser not accept within this time period. R.S.G. do not issue quotations for Materials or supply Materials on a fixed price basis. The placing of an Order/ Acceptance of a quotation shall be deemed to imply acceptance or these conditions which supersede all previous sets or conditions and override any Terms and/or Conditions included or referred to by the Purchaser whether In Order/Acceptance or in any negotiations.
- 3. Any variations on these conditions of sale will be made in writing to the Purchase and authorised on behalf of R.S.G. by a manager or their superior.
- 4. a) The price of the Materials will be the price shown on the quotation and will be the price "Ex Yard/Quarry" unless stated

- to be "delivered" to a specified destination. Where the quotation is on a "delivered" basis the price is based upon deliveries of a minimum load of 20 tones unless the R.S.G. quotation states otherwise. In the absence or a stated price, the price will be R.S.G. current price list price
- b) R.S.G. can vary any quoted price by giving seven days' notice of the new price to the Purchaser. The Purchaser may, during the seven days, cancel the contract by written notice to R.S.G. without prejudice to R.S.G.'s right to payment for any goods previously delivered.
- c) Unless otherwise stated prices quoted are exclusive of VAT which will be added at the applicable rate.
- 5. a) The Purchaser will pay, without retention, the price of the Materials within 30 days from the date or the R.S.G.'s invoice which may be sent from time to time for all Materials delivered prior to the date or the invoice.
 - b) If the Purchaser fails to make any payment by the due date then, without prejudice to any other right or remedy,
- cancel the contract or suspend any further deliveries to the Purchaser without liability on R.S.G.'s behalf for any loss or damag resulting directly or indirectly from any such suspension of deliveries
- charge the Purchaser interest on the amount unpaid by the due date at the rate of 5 per cent per annum above the bas rate or Barclays Bank Pie as from time to time shall be in force until such a time that payment is received by R.S.G.
- take legal action to recover the amount including all other costs resulting from the non-payment.
- c) R.S.G. reserve the right to insist on payment before delivery is made when a credit account is not in operation or w the Purchaser's Credit Limit, notified to the Purchaser when a Credit Account is opened, is exceeded if the Materials were delivered.
- 6. Delivery of the Materials will be by, the Purchaser collecting the Materials from R.S.G.'s premises during normal working hours after R.S.G. has notified the Purchaser that the Materials are ready for collection; or if previously agreed, by R.S.G. delivering the Materials to the location specified by the Purchaser, between the hours of 7,30am and 5,00pm Monday to Friday (excluding public holidays). Any delivery dates quoted by R.S.G. or specified in the Purchaser's order are estimates only and not of any contractual effect R.S.G. shall not be liable for any loss or damag (including loss of profit and consequential loss) to the Purchaser in respect of any failure to deliver on any particular time.
- 7. If for any reason the Purchaser shall be unable to accept the Materials at the time when delivered in accordance with the conditions of sale the Purchaser shall be liable for all costs incurred by R.S.G. arising from delay or non-delivery. The Purchaser may be charged where vehicles are unable to deliver Materials at the delivery site within 20 minutes of arrival
- 8. Delivery of the Materials may be totally or partially suspended by R.S.G. during any period in which it is hindered or prevented from such delivery by reason or any circumstance beyond its control (including but not limited to default of any pers firm or company engaged by the Purchaser, act of god, force majeure, adverse weather conditions, war or hostilities, fire, strike, transport delays, accident, breakdown, lack or shortage of Materials) and such suspension shall not give rise to any claim by the purchaser against R.S.G., nor shall it give the Purchaser the right to terminate any contact with R.S.G.

- 9. The Purchaser must provide safe and adequate access to the point of discharges of the Materials, including adequate manoeuvring space for the delivery vehicle. Where the Purchaser fails to comply with this condition R.S.G. or its contractor may refuse to make the delivery and if a delivery is made the Purchaser will be solely responsible for any accident or damage (including damage to R.S.G.'s or hired contractors vehicle) resulting in consequence. R.S.G. or their appointed hauler shall not be liable for any damage incurred whilst the delivery vehicle is under instruction by the Purchaser or the
- 10. Property in the Materials shall pass to the Purchaser when R.S.G. has received actual payment in full for the Materials supplied.
- 11. The Purchaser shall not assign any of his obligations or rights under any contract to which the Conditions of Sale apply.
- 12. Should any complaint arise concerning any aspect or the Materials, the Purchaser must contact R.S.G. on the day of delivery. This complaint must then be confirmed in writing within five working days of delivery. R.S.G. must be given all reasonable facilities to enable investigation of any such complaint. If any Materials supplied by R.S.G. should prove to be defective. Liability shall be limited to the Net Invoice Value of the Materials supplied. R.S.G. is not under any circumstances to be liable for any consequential loss or damage direct or indirect caused or arising by reason of late supply or any fault, failure or defect in any Materials supplied or by reason of the same not being of the quality or specification ordered or by reason of any other matter whatsoever.
- 13. No representation or warranty is given to the suitability or fitness of the Materials for any particular purpose and the Purchaser shall satisfy I tself that the Materials are fit for the purpose for which they will be used.
- 14. In performance of the Purchaser's order R.S.G. will be required to process personal information of the Purchaser. R.S.G. will only use the Purchaser's personal information as set out in its privacy policy which is a vailable at https://www. r ivars and and gravel.co. uk/privacy-policy

15. R.S.G. cannot accept any liability for

the temporary effects of the natural phenomenon of efflorescence, which can appear in both concrete products with a high cement content and some natural stone. This white powdery like substance is extremely common on both un-laid and laid concrete products. It ranges from a mild bloom which gives the appearance of colour loss to large white blotches on the surface. It's appearance can be very spasmodic and unpredictable but is it not detrimental of the product. It can also show itself as streaks or a mottled or spotted effect. Although most commonly associated with concrete paving products efflorescence can also affect natural stone when it is laid on a full mortar bed. Limestone products can be particularly susceptible. This is a temporary phenomenon caused by the chemical eaction between water and cement which will weather out naturally and does not damage the paving. There are mans efflorescence removers on the market, but we recommend it is left to weather out naturally to avoid any damage to the surface of the paving. Efflorescence is not a fault of manufactured natural stone.