

Index

Delivery and Collections	1
Sandstone	2
Slate	5
Limestone	6
Natural stone care	7
Porcelain	8
Porcelain care	13
Decorative gravel	14
Building materials	16
Composite decking & fencing	17
Horticultural	18
Sleepers	18
Sundries	19
Artificial grass	19
Sizes & availability	20
Information	22

Welcome

Welcome to Rivar Sand & Gravel Ltd. We are a long established family run business supplying builders, landscapers and members of the public with a range of building and landscaping products to help them create inspiring homes and gardens.

With over 40 years experience we are here to help you source and supply all the products you need. Please don't hesitate to contact us to discuss your requirements.



Hare Hatch
01189 401890

Newbury
01635 871003

Tadley
01256 855052

Delivery and Collections

All our branches have bays full of sand, ballast, sub-base and gravels. Builders and members of the public are very welcome to collect whatever amount they will need.

We deliver on a daily basis. For large quantities we provide a 'loose tip' service or on smaller projects and for added convenience we can provide materials in 'bulk bags' off loaded by crane.

If site access is limited then a full range of building materials is available in polythene bags to collect or have delivered.




SANDSTONE

Our range of high quality natural sandstone brings together a blend of colours to enhance any garden. The natural variations in tone make each project distinctive and unique.


Combined with a circle feature and sett edges it gives your garden an eye catching and welcoming feature for years to come.




Riven Sandstone




Classic Indian York




Classic Storm



Golden Sand Sandstone




Grey Sandstone




Mint Sandstone



Modak Sandstone



Raj Green Sandstone






Rippon Buff Sandstone


Setts



Circles




Stepping stones




Available in various colours

SANDSTONE


Pavesetts




Classic Indian York Pavesetts



Classic Storm Pavesetts



Modak Pavesetts



Rippon Buff Pavesetts

Tumbled walling



Classic Storm



Mint



Raj Green

SLATE

A traditional material that suits both modern and traditional designs. Sawn edges enhance the contemporary look of this highly durable paving.








Black Slate


LIMESTONE

With outstanding visual appeal, subtle shading and natural veining this durable paving is popular with designers working in more shaded gardens. Perhaps less riven than a sandstone our limestone range can be purchased in single size slabs or a mix of sizes to suit your needs.



Paving



Setts



Pavesetts



Natural stone care



Projoint Fusion

A fast and simple brush in grout suitable for natural stone, setts and concrete paving.

Available in 4 colours



Projoint Titan

This high strength epoxy powered paving grout is tough and durable and easy to use.

Available in 3 colours



Black Limestone Restorer

A coloured impregnating sealer that will restore and rejuvenate your dark stone.



Eco 820 Paving Sealer

A water based invisible sealer suitable for all paving, protects against staining and weathering.



Black Spot Remover

A ready to use powerful paving cleaning solution, removes black spots, algae and stains.

Joint-it Simple

Ready-to-use paving jointing mortar. Easy to use mortar jointing product suitable for use in wet or dry weather.

Available in 4 colours







PORCELAIN

Porcelain paving is ideal for designers and homeowners who want a clean fresh contemporary garden. Proven to withstand the British climate porcelain paving has a consistent colour, size and texture allowing for a crisp, clean and beautifully finished modern look.




Visit our website for more product ranges...







Grand Travertine Gold




Grand Travertine Silver




Himalayan White




Horizon Bone



Horizon Graphite




Horizon Grey




Juliette Gris


PORCELAIN



Juliette Bone



Kandla Grey




Nielson Perla




Nielson Beige



Oakwood Birch Grey




Oakwood Walnut



Portland Ice




Pizzarra Bianco



Rasa Beige




Rasa Grey



Rasa Nero




Rasa White



Riva Beige



Riva Bianco




Riva Dark




Riva Grey




Solace Grey



Solace Ivory




Stone Rock Black




Stone Rock Ash




PORCELAIN



Stone Rock White




Stone Wave Grey



Stone Rock Light



Windermere Grey



Windermere Beige



Porcelain setts



Porcelain care



5L



5L



1L



Pre-Grout Sealer

Use before grouting paving to help remove grout or jointing compound.

Cleaner

Porcelain Cleaner providing long lasting protection, non-acid based.

Projoint Tile Jam

Advanced hybrid flex polymer-modified tile grout. Versatile & quick setting for a smooth easy application.

Available in 4 colours, more available on request



Paris Stone

Titanium

Carbon Ash

Onyx Black



Porcelain Primer

High performance one coat priming slurry enabling porcelain to be laid on sand and cement bedding.

Also available in 10kg paper bags.



5L



1L

Eco 820 Paving Sealer

A water based invisible sealer suitable for all paving, protects against staining and weathering.



Rapid flow grout

Rapid Flow fast and easy to use brush in porcelain grout available in 5 colours: Buff, Light Grey, Mid Grey, Basalt and Black.

Available in 4 colours



Natural Buff

Light Grey

Mid Grey

Basalt

Black

Decorative gravel


We aim to supply some of the most attractive gravels found throughout Britain and Europe. From traditional Cotswold Chippings to rounded cobbles from Turkey. Gravel and chippings can enhance your driveway, flowerbeds or water features to give you a stunning feature.



Visit our website
for more product
ranges...




Black Ice




Polar Ice



18mm Red Chippings



Ice Blue




10mm Moonstone




20mm Moonstone



10mm South Cerney




20mm South Cerney




Apricot



20mm Local




Polar White



Flamingo




Plum Slate



Blue Slate




Green Slate




20mm Old English Chippings




20mm Cotswold Chippings



20mm Grey Limestone




Scottish Pebbles




Scottish Cobbles

Building materials

Building materials are not only used for laying paving and patios, they are also used for many garden projects from laying a base for a shed to hard landscaping your outdoor space. All our branches have bays containing all the building materials you need, ready to be delivered or collected as and when you need them, you are welcome to bring your own bags and containers to fill.




40mm Washed Gravel



Ballast



Scalpings



Kiln Dried Sand



Building Sand



Sharp Sand




Cement



Post mix



Cotswold self bind gravel



Coxswell self bind gravel



Admixtures

Composite decking and fencing

Designed in Britain and made from recycled materials, composite decking, fencing and balustrades provide a low maintenance, sustainable alternative to timber decking, leaving you more time to enjoy your outdoor space.




Traditional




- ✓ **Anti-slip**
- ✓ **100% quality inspected**
- ✓ **Resistant to mould**
- ✓ **Hidden fixings**
- ✓ **British design**
- ✓ **Ultra Low maintenance**
- ✓ **Long life**
- ✓ **Splinter free**
- ✓ **Dual sided**
- ✓ **Fire resistant**


Rustic



Contemporary



Essentials



Our composite decking is available in 4 ranges:

Traditional.
Coextruded in a Woodgrain finish in Light Grey/Ebony and Teak/Walnut.

Rustic.
The look of traditional weathered timber in Walnut and Grey.

Contemporary.
Dual sided with woodgrain and grooved finishes in hollow or solid boards in Grey, Charcoal and Coffee.

Essentials.
This more budget friendly decking range has hollow boards with either a woodgrain or grooved finish. Available in Coffee, Grey, Charcoal and Driftwood.

Horticultural

Available in loose tip loads or bulk bags we supply a range of soils and compost for flower beds, vegetable gardens and under turf. Landscape bark is available for footpaths and mulching and a British Standard play bark is kept in stock. Please speak to our sales team about the full range of horticultural products on offer.




Green Compost



Mushroom Compost



Top soil




Turf



Horticultural Grit



Bark



Sandy Loam soil



Grass seed

Sleepers

An increasingly popular feature in the garden, sleepers provide a cost effective solution for raised flower beds, vegetable gardens as well as retaining walls. New hardwood and reclaimed sleepers are kept in stock for collection or delivery.



Sundries

A whole range of extras are available to make sure your project stands out. Matting to keep weeds down, grids to reduce gravel movement, flexible edges to help define the shape of your borders.

Please visit our website for the full range of options. www.rivarsandandgravel.co.uk



Weed matting



Core Edge



Core Drive



Tarpaulins



Play Sand



Available in 46mm and 80mm

Recessed drain cover



Also available with metal top

Recessed gully



Rock Salt

Artificial grass

The artificial grass option means you can have your lawn perfect all year round no matter the weather or those who use it.

- *Authentic look and feel*
- *No more fussing, digging or mowing*
- *Child friendly but without the mess or mud*
- *Great for pets*



Sizes and availability

Paving

✓ = available

Product name	300 x 300	600 x 300	600 x 600	900 x 600	Circles	600 Series project pack*
Black Limestone	✓	✓	✓	✓		✓
Black Slate	✓	✓	✓	✓		✓
Classic Gold	✓	✓	✓	✓		✓
Classic Indian York	✓	✓	✓	✓		✓
Classic Silver	✓	✓	✓	✓		✓
Classic Storm	✓	✓	✓	✓		✓
Cotswold Limestone	✓	✓	✓	✓		✓
Golden Sand Sandstone	✓	✓	✓	✓		✓
Grey Sandstone	✓	✓	✓	✓		✓
Modak Sandstone	✓	✓	✓	✓	✓	✓
Mint Sandstone	✓	✓	✓	✓	✓	✓
Raj Green Sandstone	✓	✓	✓	✓	✓	✓
Rippon Buff Sandstone	✓	✓	✓	✓	✓	✓
Silver Grey Limestone	✓	✓	✓	✓		✓
Egyptian Limestone				✓		

* A project pack contains the following sizes of slabs 900mm x 600mm, 600mm x 600mm, 600mm x 300mm and 300mm x 300mm. Part packs can be purchased. ** All dimensions given are nominal and subject to manufacturing tolerances. The sizes quoted here are for the overall area including appropriate 10mm joints as per the industry standard.

Pavesetts

3 size mix packs	Sizes (mm)	Pcs per pack	M ² /pack
Classic Gold	240 x 160 160 x 160 120 x 160	144 (each)	13.46
Classic Silver			
Classic Storm			
Classic Indian York			
Rippon Buff			
Modak			

The product sizes and coverage stated are those achieved when laid using a 10mm joint. The colours illustrated on this leaflet are as close as photographic and printing processes allow. Before you purchase a Rivar Sand & Gravel product, we strongly recommend that you visit your nearest stockist to personally view the colour and texture. Due to the composition of natural stone and the way it is cut by craftsmen, colour and thickness variations will occur. The product dimensions and square meterage may also be subject to small variations. Stone products should be examined prior to laying, as we do not accept responsibility for the cost to re-lay an area if a fault is discovered within the paving. Ledger walling cladding will contain blemishes, veining, small chipping (to the corners and sides) and small holes, all of which are natural characteristics of stone. These features will enhance the appearance of stone. Speak to a member of the sales team for more information. Always order an additional 10% to allow for wastage, cuts and the occasional piece which you may not like the look of. All natural stone will vary in colour, texture and natural markings. A small sample will not give an accurate reflection of how your wall or patio will look. We strongly recommend a visit to our showroom to speak to a member of our team. Natural stone paving slabs are not suitable for driveways.

Sizes and availability

Porcelain

✓ = available

Product name	200 x 100	900 x 150	600 x 600	900 x 600	1000 x 500	1200 x 300	1200 x 600	Mix pack
Ash			✓	✓				✓
Beige			✓	✓				
Desert				✓				
Durero Grey				✓				
Durero Grafito				✓				
Ebony			✓	✓				✓
Himalayan White				✓				
Horizon Grey				✓				
Horizon Graphite				✓				
Horizon Bone				✓				
Juliette Bone				✓			✓	
Juliette Gris				✓			✓	
Kandla Grey				✓				
Nielson Perla				✓			✓	
Nielson Beige				✓			✓	
Pizzarra Blanco				✓			✓	
Portland Ice				✓				
Rasa White				✓				
Rasa Nero				✓				
Rasa Beige				✓				
Rasa Grey				✓				

Porcelain

✓ = available

Product name	200 x 100	900 x 150	600 x 600	900 x 600	1000 x 500	1200 x 300	1200 x 600	Mix pack
Solace Grey				✓				
Solace Ivory				✓				
Stone Rock Ash					✓			
Stone Rock Light					✓			
Stone Rock Black					✓			
Stone Rock White					✓			
Stone Wave Grey			✓					
Oakwood Birch Grey						✓		
Oakwood Walnut						✓		
Décor Sorrento			✓					
Décor Valencia			✓					
Grand Travertine Gold							✓	
Grand Travertine Silver							✓	
Riva Beige				✓				
Riva Bianco				✓				
Riva Dark				✓				
Riva Grey				✓				
Border Planks Black		✓						
Border Planks Grey		✓						
Border Planks Beige		✓						
Setts	✓							

Slate

Product name	Sizes (mm)
Black Slate	600 x 600
	600 x 900
	Mix pack



UNLEASH THE POWER

WITH OUR RANGE OF AWARD-WINNING OX TOOLS.

Engineered to handle the toughest conditions on site, OX tools combine durability with smart design to help you work faster, safer and more efficiently. Whether you are cutting, measuring or building, trust the tools that tradespeople rely on every day. Discover the OX range in-store now and experience the difference for yourself.



**Built for professionals who demand performance,
reliability and precision on every job.**

Information

Helpful Tips & Advice

Gravel

Gravel is natural product and although we look to supply from the same source as best we can, material can change in colour slightly within a quarry. If possible try to order the material you need in one go to minimise the risk of colour change. If topping up your drive or pathway please be aware there could be a variation in colour.

Often gravel is described as 10mm or 20mm to give an indication of size. Please be aware there is some variation in size between the gravel pieces. What gravel you use on a driveway is personal choice but be aware some gravel is softer than others and may crush under car tyres. 'Real' Cotswold and slate chippings are used on driveways but they do powder down and the property owners do top up on a regular basis to keep the area looking nice.

While our staff will make every effort to give accurate quantity advice we cannot be held responsible for discrepancies in volumes required when materials are used on site.

Natural Stone Paving

The product sizes and coverage stated are those achieved when laid using a 10mm joint. The colours illustrated in brochures and photographs are subject to the photographic and printing process and we recommend you visit your local depot and view the displays. Small samples may also fail to reflect the full variations in colour that a natural stone may have. As real stone is a natural product there will be some colour variation within a defined product colour and there will be some variation in surface texture and veining. If using several packs of paving on a project it is recommended that slabs from each pack are taken and mixed as laying takes place. Ledger walling cladding will contain blemishes, veining, and small chippings.

Laying Paving

We recommend all paving is laid on a slightly wet mortar/sand mix with 1 part cement and 5 part building or sharp sand. Do NOT lay paving on 'dot and dab' leaving space and voids under the slabs. This may result in 'shadows' appearing where there is no mortar present under the slab.

On harder natural stone and porcelain a cementitious slurry being applied to the back of the slab may help adhesion. Joints between slabs may vary but 10 -15mm is typically appropriate for natural stone while 5mm may be achieved with porcelain products.

On lighter natural stones the use of white cement instead of traditional grey Portland cement is recommended. Please ask our sales team about individual product requirements.

Efflorescence

Rivar cannot accept any responsibility for the temporary effects of the natural phenomenon of efflorescence. This temporary phenomenon is caused by a reaction between water and cement and will weather out naturally. There will be no damage to the paving. Chemicals can be used to speed up the removal of efflorescence but it is recommended that the appearance be allowed to disappear naturally.

Pointing Materials

Many people are now opting for an easy to use brush in pointing material which are available in a range of colours. Whenever you are using these products you must ensure the patio surface is kept soaking wet at all times. In warm weather this will mean wetting the surface several times. These pointing products can leave a slight residue on the paving surface which is a lot more pronounced if the patio surface is dry when the product is applied. This residue will disappear over time in natural sunlight.

Cleaning & Maintaining Paving

A range of patio cleaners are available but avoid acid based cleaners that can have a detrimental effect on Limestone paving. If a cleaner is being used always do a small test patch in an area that is not in direct view.

Always read manufacturers advice before applying a patio cleaner.

Regular light cleaning with a jet wash is the best way to maintain the appearance of your stone. If hard to remove 'black spots' have become embedded within the paving we recommend Patio Black Spot remover followed by a jet wash.

Not all natural stone or porcelain needs to be sealed – please speak to our sales team. Sealants will often change the look of the paved area, some are designed to give a wet look and enhance the colours within the paving other tend to be more 'invisible'. Please ask our staff about the range of sealing options available.

Ethical Trading Initiative

Rivar are committed to working with suppliers who follow the Ethical Trading Initiative and who follow the ETI Base Code.

The ETI Base Code

1. Employment should be freely chosen with no forced, bonded or involuntary labour.
2. Workers have the right to join or form trade unions of their own choosing and to bargain collectively.
3. A safe and healthy working environment shall be provided.
4. Child labour shall not be used.
5. Wages should always be enough to meet basic needs and to provide some discretionary income.
6. Working hours are not excessive and comply with national laws and benchmark industry standards.
7. Workers should be treated equally regardless of race, caste, national origin, religion, age, disability, gender, marital status, sexual orientation, union membership or political affiliation.
8. Regular employment for individuals should be provided where work is ongoing.
9. No harsh or inhumane treatment of workers. Physical abuse (or threat of), sexual or other harassment including verbal abuse or intimidation shall be prohibited.

UKCA Marking

Our company sources material from suppliers providing CE marking on their products and accordingly meet the appropriate standards.

Terms & Conditions of sale

1. Stated throughout Conditions of Sale R.S.G. means Rivar Sand and Gravel Ltd. The "Materials" means goods or Materials to be supplied by R.S.G. and the "Purchaser" means the party who accepts a quotation of R.S.G. for the sale of goods or whose order is accepted to be by R.S.G.
2. Any quotation by R.S.G. shall be revocable at any time prior to acceptance by the Purchaser. All quotations shall lapse 30 days after date of issue should the Purchaser not accept within this time period. R.S.G. do not issue quotations for Materials or supply Materials on a fixed price basis. The placing of an Order/Acceptance of a quotation shall be deemed to imply acceptance or these conditions which supersede all previous sets or conditions and override any Terms and/or Conditions included or referred to by the Purchaser whether In Order/Acceptance or in any negotiations.
3. Any variations on these conditions of sale will be made in writing to the Purchaser and authorised on behalf of R.S.G. by a manager or their superior.
4. a) The price of the Materials will be the price shown on the quotation and will be the price "Ex Yard/Quarry" unless stated to be "delivered" to a specified destination. Where the quotation is on a "delivered" basis the price is based upon deliveries of a minimum load of 20 tones unless the R.S.G. quotation states otherwise. In the absence of a stated price, the price will be R.S.G. current price list price.
b) R.S.G. can vary any quoted price by giving seven days' notice of the new price to the Purchaser. The Purchaser may, during the seven days, cancel the contract by written notice to R.S.G. without prejudice to R.S.G.'s right to payment for any goods previously delivered.
c) Unless otherwise stated prices quoted are exclusive of VAT which will be added at the applicable rate.

5. a) The Purchaser will pay, without retention, the price of the Materials within 30 days from the date or the R.S.G.'s invoice which may be sent from time to time for all Materials delivered prior to the date or the invoice.
b) If the Purchaser fails to make any payment by the due date then, without prejudice to any other right or remedy, R.S.G. may:
- cancel the contract or suspend any further deliveries to the Purchaser without liability on R.S.G.'s behalf for any loss or damage resulting directly or indirectly from any such suspension of deliveries.
- charge the Purchaser interest on the amount unpaid by the due date at the rate of 5 per cent per annum above the base rate or Barclays Bank Base rate as from time to time shall be in force until such a time that payment is received by R.S.G.
- take legal action to recover the amount including all other costs resulting from the non-payment.
c) R.S.G. reserve the right to insist on payment before delivery is made when a credit account is not in operation or when the Purchaser's Credit Limit, notified to the Purchaser when a Credit Account is opened, is exceeded if the Materials were delivered.
6. Delivery of the Materials will be by, the Purchaser collecting the Materials from R.S.G.'s premises during normal working hours after R.S.G. has notified the Purchaser that the Materials are ready for collection; or if previously agreed, by R.S.G. delivering the Materials to the location specified by the Purchaser, between the hours of 7.30am and 5.00pm Monday to Friday (excluding public holidays). Any delivery dates quoted by R.S.G. or specified in the Purchaser's order are estimates only and not of any contractual effect R.S.G. shall not be liable for any loss or damage (including loss of profit and consequential loss) to the Purchaser in respect of any failure to deliver on any particular time.
7. If for any reason the Purchaser shall be unable to accept the Materials at the time when delivered in accordance with the conditions of sale the Purchaser shall be liable for all costs incurred by R.S.G. arising from delay or non-delivery. The Purchaser may be charged where vehicles are unable to deliver Materials at the delivery site within 20 minutes of arrival.
8. Delivery of the Materials may be totally or partially suspended by R.S.G. during any period in which it is hindered or prevented from such delivery by reason or any circumstance beyond its control (including but not limited to default of any person, firm or company engaged by the Purchaser, act of god, force majeure, adverse weather conditions, war or hostilities, fire, strike, transport delays, accident, breakdown, lack or shortage of Materials) and such suspension shall not give rise to any claim by the purchaser against R.S.G., nor shall it give the Purchaser the right to terminate any contact with R.S.G.
9. The Purchaser must provide safe and adequate access to the point of discharges of the Materials, including adequate manoeuvring space for the delivery vehicle. Where the Purchaser fails to comply with this condition R.S.G. or its contractor may refuse to make the delivery and if a delivery is made the Purchaser will be solely responsible for any accident or damage (including damage to R.S.G.'s or hired contractors vehicle) resulting in consequence. R.S.G. or their appointed hauler shall not be liable for any damage incurred whilst the delivery vehicle is under instruction by the Purchaser or the Purchaser's agent.
10. Property in the Materials shall pass to the Purchaser when R.S.G. has received actual payment in full for the Materials supplied.
11. The Purchaser shall not assign any of his obligations or rights under any contract to which the Conditions of Sale apply.
12. Should any complaint arise concerning any aspect or the Materials, the Purchaser must contact R.S.G. on the day of delivery. This complaint must then be confirmed in writing within five working days of delivery. R.S.G. must be given all reasonable facilities to enable investigation of any such complaint. If any Materials supplied by R.S.G. should prove to be defective, liability shall be limited to the Net Invoice Value of the Materials supplied. R.S.G. is not under any circumstances to be liable for any consequential loss or damage direct or indirect caused or arising by reason of late supply or any fault, failure or defect in any Materials supplied or by reason of the same not being of the quality or specification ordered or by reason of any other matter whatsoever.
13. No representation or warranty is given to the suitability or fitness of the Materials for any particular purpose and the Purchaser shall satisfy itself that the Materials are fit for the purpose for which they will be used.
14. In performance of the Purchaser's order R.S.G. will be required to process personal information of the Purchaser. R.S.G. will only use the Purchaser's personal information as set out in its privacy policy which is available at <https://www.rivarsandandgravel.co.uk/privacy-policy>
15. R.S.G. cannot accept any liability for the temporary effects of the natural phenomenon of efflorescence, which can appear in both concrete products with a high cement content and some natural stone. This white powdery like substance is extremely common on both un-laid and laid concrete products. It ranges from a mild bloom which gives the appearance of colour loss to large white blotches on the surface. It's appearance can be very spasmodic and unpredictable but is it not detrimental to the product. It can also show itself as streaks or a mottled or spotted effect. Although most commonly associated with concrete paving products efflorescence can also affect natural stone when it is laid on a full mortar bed. Limestone products can be particularly susceptible. This is a temporary phenomenon caused by the chemical reaction between water and cement which will weather out naturally and does not damage the paving. There are many efflorescence removers on the market, but we recommend it is left to weather out naturally to avoid any damage to the surface of the paving. Efflorescence is not a fault of manufactured natural stone.

Notes
